

*Carry
your light
to every dark corners...*

CATALOGUE JULY 2022

INDOOR LED LIGHTS | PROFILE LIGHTS | ARCHITECTURAL WALL & HANGING LIGHTS | OUTDOOR LIGHTS

INDOOR LED LIGHTING

CATEGORY	PAGE
LED MODULE LIGHT	01
HOUSING RING	01
LED RECESSED DOWNLIGHT - SMD	02-04
LED RECESSED DOWNLIGHT - SMD TRIMLESS	04
ED RECESSED DOWNLIGHT - SMD CCT TUNABLE	05
ED RECESSED DOWNLIGHT - TITANIUM BK REF.	05
LED RECESSED DOWNLIGHT - WALL WASHERS	05-06
LED CABINET SPOT LIGHT	06-07
LED RECESSED DOWNLIGHT - COB'S	07-14
LED FOOT LIGHT	14
LED HUB	15-19
LED MODULE LIGHT	
LED CABINET SPOT LIGHT	
LED RECESSED DOWNLIGHT (COB'S ANTIGLARE RD. COLOUR CHANGING)	
LED RECESSED DOWNLIGHT (ANTIGLARE ROUND)	
LED RECESSED DOWNLIGHT (FIXED ROUND)	
LED RECESSED DOWNLIGHT (COB'S EYEBALL)	
LED RECESSED DOWNLIGHT (PIN SPOT ROUND)	
LED RECESSED DOWNLIGHT (MINI LASER)	
LED RECESSED DOWNLIGHT (WALL WASHER)	
LED RECESSED DOWNLIGHT (MINI LASER 18x18mm)	
LED RECESSED DOWNLIGHT (COB+SMD 2 IN 1)	
LED RECESSED DOWNLIGHT (ANTIGLARE SMD)	
LED RECESSED DOWNLIGHT (FIXED SMD)	
LED SURFACE CEILING LIGHT (300x300 & 600x600)	
LED TRACK LIGHT (COB TRACK)	
LED HIGH-BAY LIGHT (COB WITH LENSE)	
LED RECESSED DOWNLIGHT - COB'S - REFLECTOR SERIES - WALL WASHER SERIES - EYE-BALL SERIES - GRILLE LIGHT SERIES	20-25
LED TRACK LIGHT	26
RECESSED TRACK PATTI 1MTR & 2MTR 2 WIRE 1 PHASE TRACK PATTI	26
LED TRACK LIGHT	27-30
SURFACE TRACK PATTI 1MTR & 2MTR 3 WIRE 1 PHASE & 4 WIRE 3 PHASE TRACK PATTI	30-31
LED SURFACE SPOT LIGHT	32-34
LED ARCHITECTURAL WALL & HANGING LIGHT	36-48
LED ARCHITECTURAL SURFACE CEILING LIGHT	49

LED STRIP & PROFILE LIGHTING

CATEGORY	PAGE
LED STRIP LIGHT	49
EMPTY PROFILE & LED PROFILE LIGHT	49-52

ARCHITECTURAL LIGHTING & DRIVERS

CATEGORY	PAGE
LED SURFACE & RECESSED LIGHT	53-77
LED CONCEALED, SURFACE, SUSPENDED LIGHT	78-94
LED HANGING LIGHT	95-100
LED TRUNKING LIGHT	101
LED SUSPENDED & SURFACE LIGHT	102-106
LED DRIVER	107-109

OUTDOOR LED LIGHTING

CATEGORY	PAGE
LED GATE, BOLLARD & WALL LIGHT	110-117
LED SURFACE CEILING LIGHT	118-119
LED SURFACE WALL LIGHT	120-125
LED FOOT / STEP LIGHT & GARDEN SPIKE LIGHT	125-127
LED CONCEALED FOOT / STEP LIGHT	127/128
LED UNDERWATER CONCEALED LIGHT	129
LED UNDERWATER SURFACE LIGHT	129
LED RECESSED CANOPY LIGHT	130
LED LANDSCAPE PATH LIGHT	130-131
LED LINEAR WALL WASHER LIGHT	132
LED BULKHEAD LIGHT	132
LED FLOOD & STREET LIGHT	133

NON-LED OUTDOOR LIGHTING

CATEGORY	PAGE
GATE, BOLLARD & WALL LIGHT	134-136
BULK-HEAD LIGHT	136
UP-DOWN LIGHT	137
GARDEN SPIKE LIGHT	137

HYBEC NEW PRODUCTS COMING SOON & ARRIVED



HLR-2352 (8W)



HLR-2353 (15W)



HLR-2354 (20W)



HLR-2361 (7W)



HLR-2362 (12W)



HLR-2363 (18W)



HLR-2364 (25W)



HLR-2468-NEW (5W)



HLR-2604 (5W)



HLR-2605 (9W)



HLR-2606 (15W)



TR-4126 2 WIRE
(T CONNECTOR)



TR-4157 3 WIRE
TRANS SHORT CEILING BASE)



HLO-5004 (40W)



HLO-5013 (12W)



HLO-5014 (12W)



HLO-5015 (12W)



HLO-5016 (18W)



HLO-5017 (30W)



HLO-5018 (10W)



HLO-5020 (24W)



HLO-5021 (24W)



HLO-5022 (24W)



HLO-5031 (30W)
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5032 (2x30W)
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request

HYBEC NEW PRODUCTS COMING SOON & ARRIVED



HLO-5034 (45W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5035 (2x45W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5037 (40W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5038 (60W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5040 (30W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5041 (40W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5043 (30W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5044 (45W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request




HLO-5046 (24W/36W/50W/60W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request




HLO-5047 (30W/45W)

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



TYPES OF POLE

Size : Ø75xH2500mm



TYPES OF POLE

Size : Ø75xH3000mm




TYPES OF POLE

Size : Ø75xH3650mm




TYPES OF POLE

Size : Ø75xH3650mm



TYPES OF POLE

Size : Ø75xH5000mm



HLO-5328 (8W)



HLO-5329 (15W)



HLO-5371 (2x3W)



HLO-5473 (18W)



HLO-5518 (10W)




HLO-5906 (6W)



HLO-6755 (7W)



HLO-6756 (12W)



HLO-8014 (E27 Max 18W)

LED MODULE LIGHT



HLM-2007 (10W)
Size : Ø50mmx60mm



HLM-2010 (20W)
Size : Ø111mmx74mm



HLM-2011 (30W) - AR111
Size : Ø111mmx90mm

HOUSING RING FOR MR-16 - LED MODULE



F-301
Size : Ø100mmx75mm
Cut-Out : Ø92mm



F-302
Size : Ø100mmx90mm
Cut-Out : Ø92mm



F-305
Size : Ø80mmx40mm
Cut-Out : Ø70mm



F-306
Size : Ø85mmx50mm
Cut-Out : Ø80mm



F-309
Size : Ø110mmx90mm
Cut-Out : Ø90mm



F-310
Size : Ø86mmx44mm
Cut-Out : Ø72mm



F-331
Size : 90x90mmx80mm
Cut-Out : 75x75mm



F-332
Size : 160x90mmx80mm
Cut-Out : 145x75mm



F-333
Size : 230x90mmx80mm
Cut-Out : 217x75mm

LED RECESSED DOWNLIGHT - ROUND SMD

PLEASE NOTE THE CHANGE IN SIZE



HLR-2252 (4W)
Size : Ø70mmx20mm
Cut-Out : Ø63mm



HLR-2253 (8W)
Size : Ø110mmx24mm
Cut-Out : Ø95mm



HLR-2254 (11W)
Size : Ø140mmx25mm
Cut-Out : Ø125mm



HLR-2255L (15W)
Size : Ø160mmx28mm
Cut-Out : Ø140mm



HLR-2256 - 22W
Size : Ø200mmx28mm
Cut-Out : Ø180mm

LED RECESSED DOWNLIGHT - SQUARE SMD

PLEASE NOTE THE CHANGE IN SIZE



HLR-2262 (4W)
Size : 70x70mmx22mm
Cut-Out : 63x63mm



HLR-2263 (8W)
Size : 110x110mmx24mm
Cut-Out : 95x95mm



HLR-2264 (11W)
Size : 140x140mmx25mm
Cut-Out : 125x125mm



HLR-2265L (15W)
Size : 160x160mmx28mm
Cut-Out : 140x140mm



HLR-2266 (22W)
Size : 200x200mmx28mm
Cut-Out : 180x180mm



HLR-2269 (30W)
Size : 300x300x30mm
Cut-Out : 265x265mm

LED RECESSED DOWNLIGHT - ROUND SMD



HLR-2972 (10W)
Size : Ø110mmx36mm
Cut-Out : Ø95mm



HLR-2973 (15W)
Size : Ø140mmx36mm
Cut-Out : Ø125mm



HLR-2974 (20W)
Size : Ø160mmx36mm
Cut-Out : Ø140mm



HLR-2975 (25W)
Size : Ø200mmx40mm
Cut-Out : Ø180mm

LED RECESSED DOWNLIGHT - SQUARE SMD



HLR-2982 (10W)
Size : 110x110mmx36mm
Cut-Out : 95x95mm



HLR-2983 (15W)
Size : 140x140mmx36mm
Cut-Out : 125x125mm



HLR-2984 (20W)
Size : 160x160mmx36mm
Cut-Out : 140x140mm



HLR-2985 (25W)
Size : 200x200mmx40mm
Cut-Out : 180x180mm

LED RECESSED DOWNLIGHT - SMD



HLR-2282 (6W)
Size : Ø112mmx44mm
Cut-Out : Ø85mm



HLR-2283 (9W)
Size : Ø148mmx56.5mm
Cut-Out : Ø110-129mm



HLR-2284 (15W)
Size : Ø177mmx58.5mm
Cut-Out : Ø149-163mm



HLR-2287 (19W)
Size : Ø192mmx62mm
Cut-Out : Ø160-172mm



HLR-2301 (10W)
Size : Ø160mmx90mm
Cut-Out : Ø145mm



HLR-2302 (18W)
Size : Ø180mmx90mm
Cut-Out : Ø170mm



HLR-2303 (25W)
Size : Ø200mmx90mm
Cut-Out : Ø190mm



HLR-2314 (11W)
Size : Ø92mmx39mm
Cut-Out : Ø80mm

LED RECESSED DOWNLIGHT - SMD (IP54)



HLR-2315 (16W)
Size : Ø115mmx77.6mm
Cut-Out : Ø105mm



HLR-2316 (9W)
Size : Ø78mmx51mm
Cut-Out : Ø65mm



HLR-2317 (15W)
Size : Ø110mmx37mm
Cut-Out : Ø95mm



HLR-2318 (25W)
Size : Ø162mmx64mm
Cut-Out : Ø145mm



HLR-2319 (35W)
Size : Ø230mmx88mm
Cut-Out : Ø200mm



LED RECESSED DOWNLIGHT - SMD SERIES



HLR-2341 (5W)
Size : Ø60mmx38mm
Cut-Out : Ø55mm



HLR-2342 (8W)
Size : Ø80mmx40mm
Cut-Out : Ø75mm



HLR-2343 (15W)
Size : Ø101mmx53mm
Cut-Out : Ø95mm



HLR-2344 (20W)
Size : Ø126mmx55mm
Cut-Out : Ø120mm

LED RECESSED DOWNLIGHT - SMD SERIES TRIMLESS



TRIMLESS

HLR-2346 (5W)
Size : Ø80mmx38mm
Cut-Out : Ø55mm



TRIMLESS

HLR-2347 (8W)
Size : Ø106mmx45mm
Cut-Out : Ø75mm



TRIMLESS

HLR-2348 (15W)
Size : Ø129mmx53mm
Cut-Out : Ø95mm

LED RECESSED DOWNLIGHT - CCT TUNABLE SMD NEW SERIES



HLR-2352 (8W)
Size : Ø80mmx40mm
Cut-Out : Ø75mm



HLR-2353 (15W)
Size : Ø101mmx53mm
Cut-Out : Ø95mm



HLR-2354 (20W)
Size : Ø126mmx55mm
Cut-Out : Ø120mm

LED RECESSED DOWNLIGHT - SMD NEW SERIES (WITH TITANIUM BLACK REFLECTOR)



HLR-2361 (7W)
Size : Ø85mmx45mm
Cut-Out : Ø75mm
BODY COL : WHITE WITH INSIDE RING
COL: TITANIUM BLACK



HLR-2362 (12W)
Size : Ø105mmx48mm
Cut-Out : Ø95mm
BODY COL : WHITE WITH INSIDE RING
COL: TITANIUM BLACK



HLR-2363 (18W)
Size : Ø125mmx56mm
Cut-Out : Ø115mm
BODY COL : WHITE WITH INSIDE RING
COL: TITANIUM BLACK



HLR-2364 (25W)
Size : Ø155mmx62mm
Cut-Out : Ø145mm
BODY COL : WHITE WITH INSIDE RING
COL: TITANIUM BLACK

LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



HLR-2422 (9W / 10W)
Size : Ø90mmx60mm
Cut-Out : Ø75mm



HLR-2423 (15W / 18W)
Size : Ø102mmx80mm
Cut-Out : Ø90mm



HLR-2426 (27W / 30W)
Size : Ø140mmx115mm
Cut-Out : 125mm



HLR-2424 (33W / 40W)
Size : Ø160mmx135mm
Cut-Out : Ø145mm



HLR-2425 (40W / 50W)
Size : Ø190mmx158mm
Cut-Out : Ø175mm



HLR-2428 (15W)
Size : 100x100x67mm
Cut-Out : 85x85mm



HLR-2433 (10W)
Size : Ø75mmx100mm
Cut-Out : Ø80mm



HLR-2434 (15W)
Size : Ø84mmx106mm
Cut-Out : Ø89mm

LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



HLR-2435 (20W)
Size : Ø106mmx145mm
Cut-Out : Ø110mm



HLR-2441 (12W)
Size : Ø85mmx70mm
Cut-Out : Ø75mm



HLR-2442 (20W)
Size : Ø108mmx85mm
Cut-Out : Ø95mm



HLR-2443 (35W)
Size : Ø135mmx97mm
Cut-Out : Ø125mm



HLR-2446 (30W)
Size : 140x140mm
Cut-Out : Ø125mm



HLR-2448 (2x30W)
Size : 278x137mm
Cut-Out : 265x130mm

LED RECESSED CABINET SPOT LIGHT



HLR-2451 (1W)
Size : Ø30mmx22mm
Cut-Out : Ø25mm

Body Colour Available : SS / White



HLR-2452 (3W)
Size : Ø45mmx28mm
Cut-Out : Ø40mm

Body Colour Available : SS / White



HLR-2453 (1W)
Size : 30x30mmx22mm
Cut-Out : Ø25mm

Body Colour Available : SS / White



HLR-2454 (3W)
Size : 45x45mmx28mm
Cut-Out : Ø40mm

Body Colour Available : SS / White



HLR-2461 (1x3W)
Size : Ø15mmx240mm



HLR-2462 (1x2W)
Size : Ø15mmx280mm



ADJUSTABLE BEAM ANGLE

HLR-2463 (3W)
Size : Ø58x52mm
Cut-Out : Ø50mm



HLR-2464 (3W)
Size : Ø40mmx51mm
Cut-Out : Ø35mm

LED RECESSED CABINET SPOT LIGHT



HLR-2465 (3W)
Size : Ø35mmx49mm
Cut-Out : Ø31mm



HLR-2466 (3W)
Size : Ø56mmx48mm
Cut-Out : Ø46mm



HLR-2467 (5W)
Size : Ø65mmx30mm
Cut-Out : Ø55mm

Body Colour Available : SS / White



HLR-2468 NEW (5W)
Size : Ø55mmx41mm
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2469 (5W)
Size : Ø55mmx41mm
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2470 (5W)
Size : 55x55mmx41mm
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2471 (2W)
Size : 44x44x47mm
Cut-Out : 38x38mm

Body Colour Available : White / Black



HLR-2472 (2x2W)
Size : 73x44x47mm
Cut-Out : 65x38mm

Body Colour Available : White / Black



HLR-2473 (5x2W)
Size : 148x44x56mm
Cut-Out : 137x35mm

Body Colour Available : White / Black



ADJUSTABLE

HLR-2474 (5x2W)
Size : 169x87x97mm
Cut-Out : 152x72mm

Body Colour Available : White / Black



HLR-2475 (10x2W)
Size : 281x44x56mm
Cut-Out : 271x35mm

Body Colour Available : White / Black



WALLWASHER

HLR-2478 (5x2W)
Size : 148x44x56mm
Cut-Out : 137x35mm

Body Colour Available : White / Black



WALLWASHER

HLR-2479 (10x2W)
Size : 281x44x56mm
Cut-Out : 271x35mm

Body Colour Available : White / Black



SPECIAL OFFER

HLR-2480 (5W)
Size : Ø60mmx61mm
Cut-Out : Ø54mm

LED RECESSED DOWNLIGHT - COB'S



Housing and heatsink inseparable

HLR-2481 (10W)
Size : Ø62mmx62mm
Cut-Out : Ø53mm



HLR-2485 (10W)
Size : Ø88mmx64mm
Cut-Out : Ø75-80mm



HLR-2486 (10W)
Size : Ø88mmx85mm
Cut-Out : Ø75-80mm



HLR-2488 (15W)
Size : Ø88mmx98mm
Cut-Out : Ø75-80mm



HLR-2492 (9W)
Size : Ø80mmx80mm
Cut-Out : Ø70mm



HLR-2493 (9W)
Size : 80x80mmx80mm
Cut-Out : Ø70mm



HLR-2495 (9W)
Size : Ø82mmx72mm
Cut-Out : Ø70mm



HLR-2496 (9W)
Size : 82x82mmx72mm
Cut-Out : Ø70mm



HLR-2497 (15W)
Size : Ø105mmx95mm
Cut-Out : Ø90mm



HLR-2498 (15W)
Size : 105x105mmx95mm
Cut-Out : Ø90mm




HLR-2500 (9W)
Size : Ø78mmx90mm
Cut-Out : Ø70mm

Body Colour Available : White / Black



HLR-2501 (9W)
Size : 80x80mmx90mm
Cut-Out : 70x70mm

Body Colour Available : White / Black



Body Colour Available : White / Black

HLR-2502 (2x9W)
Size : 148x80mmx90mm
Cut-Out : 140x70mm



HLR-2505 (9W)
Size : Ø63mmx56mm
Cut-Out : Ø55mm



HLR-2506 (12W)
Size : Ø73mmx64mm
Cut-Out : Ø65mm



HLR-2508 (22W)
Size : Ø105mmx82mm
Cut-Out : Ø90mm

LED RECESSED DOWNLIGHT - COB'S



HLR-2511 (9W)
Size : Ø88mmx74.5mm
Cut-Out : Ø75mm



HLR-2512 (9W)
Size : Ø88mmx79mm
Cut-Out : Ø75mm



HLR-2513 (9W)
Size : Ø88mmx83mm
Cut-Out : Ø75mm



HLR-2514 (15W)
Size : Ø88mmx118mm
Cut-Out : Ø75mm



HLR-2520 (10W)
Size : Ø99mmx105mm
Cut-Out : Ø90-95mm



HLR-2521 (15W)
Size : Ø99mmx128mm
Cut-Out : Ø90-95mm



HLR-2541 (12W)
Size : 85x85x105mm
Cut-Out : 75x75mm



HLR-2543 (9W)
Size : Ø75mmx81mm
Cut-Out : Ø65mm



HLR-2544 (15W)
Size : Ø90x110mm
Cut-Out : Ø80mm



HLR-2545 (25W)
Size : Ø110x136mm
Cut-Out : Ø100mm



HLR-2549 (12W)
Size : Ø88x89mm
Cut-Out : Ø65mm



HLR-2552 (15W)
Size : Ø140x53mm
Cut-Out : Ø125mm



HLR-2553 (22W)
Size : Ø162x64mm
Cut-Out : Ø145mm



HLR-2554 (30W)
Size : Ø193x75mm
Cut-Out : Ø165mm



HLR-2555 (40W)
Size : Ø230x88mm
Cut-Out : Ø200mm



HLR-2558 (30W)
Size : Ø170mmx145mm
Cut-Out : Ø155mm

LED RECESSED DOWNLIGHT - COB'S



HLR-2602 (8W)
Size : Ø90mmx113mm
Cut-Out : Ø75mm



HLR-2603 (8W)
Size : Ø90mmx113mm
Cut-Out : Ø75mm



HLR-2604 (5W)
Size : Ø40mmx60mm
Cut-Out : Ø35mm



HLR-2605 (9W)
Size : Ø65mmx60mm
Cut-Out : Ø55mm



HLR-2606 (15W)
Size : Ø75mmx75mm
Cut-Out : Ø65mm



HLR-2611 (9W)
Size : Ø85mmx91mm
Cut-Out : Ø75mm



HLR-2612 (9W)
Size : Ø85mmx91mm
Cut-Out : Ø75mm



HLR-2615 (15W)
Size : Ø115mmx116mm
Cut-Out : Ø100mm



HLR-2616 (15W)
Size : Ø115mmx116mm
Cut-Out : Ø100mm



HLR-2619 (24W)
Size : Ø140mmx147mm
Cut-Out : Ø125mm



HLR-2620 (24W)
Size : Ø140mmx147mm
Cut-Out : Ø125mm



HLR-2622 (24W)
Size : Ø124mmx147mm
Cut-Out : Ø125mm



HLR-2623 (24W)
Size : Ø124mmx147mm
Cut-Out : Ø125mm



HLR-2630 (9W)
Size : Ø71mmx50mm
Cut-Out : Ø65mm

Body Colour Available : White / Black



HLR-2631 (15W)
Size : Ø82mmx55mm
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2633 (20W)
Size : Ø117mmx83mm
Cut-Out : Ø110mm

Body Colour Available : White / Black

LED RECESSED DOWNLIGHT - COB'S



HLR-2634 (30W)
Size : Ø117mmx83mm
Cut-Out : Ø110mm

Body Colour Available : White / Black



HLR-2637 (9W)
Size : Ø75mmx55mm
Cut-Out : Ø60mm



HLR-2638 (15W)
Size : Ø85mmx65mm
Cut-Out : Ø75mm



HLR-2639 (20W)
Size : Ø95mmx75mm
Cut-Out : Ø85mm



HLR-2641 (3W)
Size : Ø35mmx50mm
Cut-Out : Ø26mm



HLR-2643 (6W)
Size : Ø55mmx60mm
Cut-Out : Ø46mm



HLR-2645 (12W)
Size : Ø64mmx75mm
Cut-Out : Ø55mm



HLR-2648 (12W)
Size : Ø90mmx46mm
Cut-Out : Ø80mm



HLR-2651 (12W)
Size : Ø90mmx99mm
Cut-Out : Ø84mm



HLR-2653 (12W)
Size : 90x90mmx99mm
Cut-Out : 84x84mm



HLR-2654 (2x12W)
Size : 175x90mmx99mm
Cut-Out : 168x84mm



HLR-2655 (5W)
Size : Ø40mmx55mm
Cut-Out : Ø35mm

Body Colour Available : White / Black



HLR-2656 (9W)
Size : Ø68mmx65mm
Cut-Out : Ø60mm

Body Colour Available : White / Black



HLR-2657 (15W)
Size : Ø85mmx82mm
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2658 (20W)
Size : Ø95mmx92mm
Cut-Out : Ø90mm

Body Colour Available : White / Black



HLR-2659 (30W)
Size : Ø120mmx110mm
Cut-Out : Ø110mm

Body Colour Available : White / Black

LED RECESSED DOWNLIGHT - COB'S



LH

HLR-2660 (40W)
Size : Ø145mmx146mm
Cut-Out : Ø130mm
Body Colour Available : White / Black



LH

HLR-2663 (50W)
Size : Ø145mmx146mm
Cut-Out : Ø130mm
Body Colour Available : White / Black



LH

IP32

HLR-2661 (12W)
Size : 84x84mmx75mm
Cut-Out : 75x75mm



HLR-2662 (12W)
Size : Ø108mmx70mm
Cut-Out : Ø100mm



LH

HLR-2665 (9W)
Size : Ø64mmx65mm
Cut-Out : Ø55mm
Body Colour Available : White / Black



LH

HLR-2666 (15W)
Size : Ø75mmx77mm
Cut-Out : Ø65mm
Body Colour Available : White / Black



LH

HLR-2667 (9W)
Size : Ø70mmx59mm
Cut-Out : Ø65mm
Body Colour Available : White / Black



LH

HLR-2668 (15W)
Size : Ø85mmx65mm
Cut-Out : Ø80mm
Body Colour Available : White / Black



LH

HLR-2669 (9W)
Size : Ø74mmx65mm
Cut-Out : Ø68mm
Body Col.: White / Black with Inside Col:
COPPER / MATT GOLD / BLACK CHROME



LH

HLR-2670 (15W)
Size : Ø85mmx78mm
Cut-Out : Ø78mm
Body Col.: White / Black with Inside Col:
COPPER / MATT GOLD / BLACK CHROME



HLR-2673 (9W)
Size : Ø93mmx82mm
Cut-Out : Ø85mm
Body Colour Available : White / Black



HLR-2674 (15W)
Size : Ø105mmx96mm
Cut-Out : Ø98mm
Body Colour Available : White / Black



HLR-2675 (30W)
Size : Ø135mmx128mm
Cut-Out : Ø128mm
Body Colour Available : White / Black



IP54

HLR-2677 (12W)
Size : Ø78mmx72mm
Cut-Out : Ø70mm



HLR-2678 (12W)
Size : Ø85mmx108mm
Cut-Out : Ø80mm



HLR-2679 (18W)
Size : Ø106mmx140mm
Cut-Out : Ø100mm

LED RECESSED DOWNLIGHT - COB'S



HLR-2681 (3W)
Size : Ø58mmx75mm
Cut-Out : Ø55mm



HLR-2682 (7W)
Size : Ø84mmx87mm
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2683 (12W)
Size : Ø100mmx117mm
Cut-Out : Ø92mm

Body Colour Available : White / Black



HLR-2684 (25W)
Size : Ø155mmx136mm
Cut-Out : Ø140mm

Body Colour Available : White / Black



HLR-2686 (12W)
Size : 181x112mmx117mm
Cut-Out : Ø120mm

Body Colour Available : White / Black



HLR-2687 (12W)
Size : 117x117mmx117mm
Cut-Out : 100x100mm

Body Colour Available : White / Black



HLR-2688 (2x12W)
Size : 208x117mmx117mm
Cut-Out : 190x100mm

Body Colour Available : White / Black



HLR-2689 (7W)
Size : Ø119.5mmx36mm
Cut-Out : Ø95mm



HLR-2690 (2x7W)
Size : 220x120mmx36mm
Cut-Out : Ø195x95mm



HLR-2693 (12W)
Size : Ø85mmx60mm
Cut-Out : Ø75mm



HLR-2701 (5W)
Size : 55x55mmx45mm
Cut-Out : 50x50mm

Body Colour Available : White / Black



HLR-2703 (12W)
Size : 130x55mmx45mm
Cut-Out : 125x50mm

Body Colour Available : White / Black



HLR-2704 (16W)
Size : 93x93mmx45mm
Cut-Out : 88x88mm

Body Colour Available : White / Black



HLR-2705 (20W)
Size : 205x55mmx45mm
Cut-Out : 200x50mm

Body Colour Available : White / Black



HLR-2709 (36W)
Size : 130x130mmx45mm
Cut-Out : 125x125mm

Body Colour Available : White / Black



HLR-2710 (40W)
Size : 395x55mmx45mm
Cut-Out : 390x50mm

Body Colour Available : White / Black

LED RECESSED DOWNLIGHT - COB'S



HLR-2721 (5W)
Size : Ø63mmx70mm
Cut-Out : Ø58mm



HLR-2725 (5W)
Size : 62x62mmx70mm
Cut-Out : 55x55mm



HLR-2726 (2x5W)
Size : 60x114mmx70mm
Cut-Out : 105x50mm

LED RECESSED FOOT / STEP LIGHT



HLF-3305 (3W)
Size : Ø44mmx30mm
Cut-Out : Ø36mm



HLF-3307 (3W)
Size : Ø45mmx27mm
Cut-Out : Ø40mm



HLF-3308 (3W)
Size : 55x55x42mm
Cut-Out : Ø45mm



HLF-3309 (3W)
Size : 55x55x42mm
Cut-Out : Ø45mm



HLF-3311 (3W)
Size : 70x32x22mm
Cut-Out : 25x65mm



HLF-3312 (3W)
Size : 80x50x37mm
Cut-Out : 42x75mm




HLF-3315 (1W)
Size : 50x50mmx27mm
Cut-Out : Ø45mm



HLF-3316 (1W)
Size : Ø50mmx27mm
Cut-Out : Ø45mm



HLF-3317 (1W)
Size : Ø58mmx37mm
Cut-Out : Ø45mm



HLF-3318 (3W)
Size : Ø50mmx42mm
Cut-Out : Ø45mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED MODULE LIGHT



HLM-2852 (3W)
Size : Ø50mmx46mm



HLM-2853 (9W)
Size : Ø50mmx80mm



HLM-2854 (15W)
Size : Ø50mmx110mm

LED RECESSED CABINET SPOT LIGHT



HLR-2862 (1W)
Size : Ø51.5mmx17.5mm
Cut-Out : Ø41mm



HLR-2865 (3W)
Size : Ø63mmx33.5mm
Cut-Out : Ø46mm



HLR-2867 (1W)
Size : 60x60mmx22mm
Cut-Out : Ø47mm

LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING



HLR-2871 (4W)
Size : Ø40mmx63mm
Cut-Out : Ø36mm



HLR-2873 (13W)
Size : Ø75mmx88mm
Cut-Out : Ø65mm



HLR-2874 (20W)
Size : Ø95mmx92mm
Cut-Out : Ø82mm



HLR-2875 (25W)
Size : Ø115mmx117mm
Cut-Out : Ø105mm



HLR-2877 (15W)
Size : Ø80mmx65mm
Cut-Out : Ø70mm



HLR-2880 (10W)
Size : Ø100mmx70mm
Cut-Out : Ø86mm



HLR-2881 (18W)
Size : Ø85mmx128mm
Cut-Out : Ø80mm



HLR-2886 (42W)
Size : Ø225mmx110mm
Cut-Out : Ø185mm

Elite Series

LED HUB

HYBEC
lighting the future

LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING



HLR-2889 (15W)
Size : Ø72mmx97mm
Cut-Out : Ø65mm



HLR-2891 (10W)
Size : Ø113mmx85mm
Cut-Out : Ø83mm



HLR-2892 (15W)
Size : Ø143mmx85mm
Cut-Out : Ø113mm



HLR-2897 (40W)
Size : 200mmx80mm
Cut-Out : 185mm

LED RECESSED DOWNLIGHT - ANTIGLARE WITH INSIDE GREY RING



HLR-2898 (7W)
Size : Ø40mmx55mm
Cut-Out : Ø35mm



HLR-2899 (15W)
Size : Ø59mmx82mm
Cut-Out : Ø55mm

LED RECESSED DOWNLIGHT - SMD & COB'S FIXED ROUND



HLR-2901 (5W)
Size : Ø78mmx35mm
Cut-Out : Ø70mm



HLR-2904 (6W)
Size : Ø50x70mm
Cut-Out : Ø35mm



HLR-2906 (7W)
Size : Ø65mmx72mm
Cut-Out : Ø55mm

LED RECESSED DOWNLIGHT - COB'S EYEBALL ROUND



HLR-2908 (10W)
Size : Ø95mmx35mm
Cut-Out : Ø79mm



HLR-2910 (15W)
Size : Ø98mmx88mm
Cut-Out : Ø81mm



HLR-2912 (13W)
Size : Ø85mmx93.5mm
Cut-Out : Ø80mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S EYEBALL ROUND NEW SERIES



HLR-2916 (8W)
Size : Ø85mmx57mm
Cut-Out : Ø75mm



HLR-2919 (15W)
Size : Ø100mmx75mm
Cut-Out : Ø85mm



HLR-2920 (24W)
Size : Ø130mmx90mm
Cut-Out : Ø115mm



HLR-2921 (36W)
Size : Ø160mmx95mm
Cut-Out : Ø140mm

LED RECESSED DOWNLIGHT - PIN SPOT ROUND & MINI LASER CONCEALED 30°



HLR-2922 (3W)
Size : Ø40mmx30mm
Cut-Out : Ø31mm



HLR-2925 (5W)
Size : Ø55mmx41mm
Cut-Out : Ø45mm



HLR-2927 (3W)
Size : 40x40mmx42mm
Cut-Out : 31x31mm




HLR-2928 (6W)
Size : 70x40mmx42mm
Cut-Out : 60x30mm

LED RECESSED DOWNLIGHT - WALL WASHER CONCEALED DOWNLIGHTER




HLR-2929 (3W)
Size : 50x50mmx45mm
Cut-Out : 35x35mm



HLR-2930 (15W)
Size : 165x50mmx45mm
Cut-Out : 155x35mm

LED RECESSED DOWNLIGHT - MINI LASER (REFLECTOR 18mmx18mm)



HLR-2931 (3W)
Size : 52x32mmx40mm
Cut-Out : 48x27mm
Body Colour Available : White / Black



HLR-2932 (5W)
Size : 62x32mmx40mm
Cut-Out : 57x27mm
Body Colour Available : White / Black



HLR-2933 (10W)
Size : 109x32mmx40mm
Cut-Out : 104x27mm
Body Colour Available : White / Black



HLR-2936 (20W)
Size : 205x32mmx40mm
Cut-Out : 200x27mm
Body Colour Available : White / Black

LED RECESSED DOWNLIGHT - MINI LASER (REFLECTOR 18mmx18mm)



HLR-2937 (7W)
Size : 52x52mmx40mm
Cut-Out : 48x48mm



HLR-2938 (12W)
Size : 71x71mmx40mm
Cut-Out : 68x68mm

LED RECESSED DOWNLIGHT - SMD DOWNLIGHTER WITH COB (2 IN 1)



HLR-2947 (18W)
Size : Ø148x56mm
Cut-Out : Ø140mm



HLR-2948 (24W)
Size : Ø170mmx56mm
Cut-Out : Ø161mm



HLR-2949 (18W)
Size : 142x142mmx56mm
Cut-Out : 133x133mm



HLR-2950 (24W)
Size : 167x167mmx56mm
Cut-Out : 155x155mm

LED SURFACE ROUND LASER REFLECTOR DOWNLIGHT



HLS-2942 (10W)
Size : 137mmx34mm
Depth : 70mm
Body Colour Available : White / Black



HLS-2944 (20W)
Size : 270mmx34mm
Depth : 70mm
Body Colour Available : White / Black



HLS-2946 (30W)
Size : 402mmx34mm
Depth : 70mm
Body Colour Available : White / Black

LED RECESSED DOWNLIGHT - ANTIGLARE SMD / FIXED SMD



HLR-2953 (36W)
Size : Ø200mmx80mm
Cut-Out : Ø185mm



HLR-2955 (10W)
Size : Ø135mmx45mm
Cut-Out : Ø110mm



HLR-2957 (16W)
Size : Ø185mmx45mm
Cut-Out : Ø165mm



HLR-2961 (15W)
Size : Ø180x52mm
Cut-Out : Ø156mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - FIXED SMD



HLR-2965 (10W)
Size : Ø140mmx52mm
Cut-Out : Ø105mm



HLR-2966 (18W)
Size : Ø180mmx55mm
Cut-Out : Ø130mm



HLR-2967 (10W)
Size : 140x140x52mm
Cut-Out : 105x105mm



HLR-2968 (18W)
Size : 175x175x52mm
Cut-Out : 140x140mm

LED SURFACE CEILING LIGHT - 300x300 & 600x600



HLR-2997 (18W)
Size : 300x300mmx70mm



HLR-3000 (36W)
Size : 600x600mmx70mm

LED TRACK LIGHT - COB TRACK LIGHT



HLT-2999 (25W)
Size : W195mmxH235mm

LED HIGH-BAY LIGHT - COB HIGH-BAY LIGHT WITH LENSE - FULL BLACK



HLR-3001 (50W)
Size : Ø355mm(Reflector)
Total Hight : 300mm



HLR-3002(100W)
Size : Ø355mm(Reflector)
Total Hight : 345mm


Elite Series

LED HUB

HYBEC®

lighting the future



LED RECESSED DOWNLIGHT - COB'S



F01




HLM-2115 (15W)



F11




HLM-2125 (25W / 32W)



F21




HLM-2133 (33W / 40W)



F31



HLM-2140 (40W / 50W)



Elite Series

LED HUB

HYBEC®

lighting the future





LED RECESSED DOWNLIGHT - COB'S



F02





HLM-2115 (15W)



F12





HLM-2125 (25W / 32W)



F22





HLM-2133 (33W / 40W)



F32



HLM-2140 (40W / 50W)



Elite Series

LED HUB

HYBEC

lighting the future



LED RECESSED DOWNLIGHT - COB'S



F03




HLM-2115 (15W)



F13




HLM-2125 (25W / 32W)



F23




HLM-2133 (33W / 40W)



F33



HLM-2140 (40W / 50W)




Elite Series

LED HUB


HYBEC®

lighting the future


LED RECESSED DOWNLIGHT - COB'S




HLR-2608 (1x15W)
Size : 110x110x98mm
Cut-Out : 95x95mm




HLR-2609 (2x15W)
Size : 205x110x98mm
Cut-Out : 190x95mm



HLR-2610 (3x15W)
Size : 290x110x98mm
Cut-Out : 275x95mm




LED RECESSED DOWNLIGHT - COB'S



F17




HLM-2125 (25W / 32W)



F18




HLM-2125 (2x25W / 2x32W)




F19



HLM-2125 (3x25W / 3x32W)




LED RECESSED DOWNLIGHT - COB'S



F27




HLM-2133 (33W / 40W)



F28




HLM-2133 (2x33W / 2x40W)



F29



HLM-2133 (3x33W / 3x40W)




LED TRACK LIGHT




HLT-4004 (5W)

Body Colour Available : White / Black




HLT-4006 (10W)

Body Colour Available : White / Black



HLT-4008 (10W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



T-41
(COVER WITH HONEYCOMB)




T-42




HLT-4009 (18W)


Body Colour Available : White / Black



Professional Glareproof Photomask Options



T-51
(COVER WITH HONEYCOMB)



T-52

TRACK PATTI - 2 WIRE SINGLE PHASE (Suitable for EB-9407)



(2 WIRE - 1MTR)

TR-4121

Body Colour Available : White / Black



(2 WIRE - 2MTR)

TR-4122

Body Colour Available : White / Black



(2 WIRE - Straight Connector)

TR-4124

Body Colour Available : White / Black



(2 WIRE - L Connector)

TR-4125

Body Colour Available : White / Black



(2 WIRE - T Connector)

TR-4126

Body Colour Available : White / Black

Elite Series


HYBEC®

lighting the future


LED TRACK LIGHT



HLT-4011 (12W)




HLT-4013 (12W)



ADJUSTABLE BEAM ANGLE : 12.5° to 45°

HLT-4016 (12W)

Body Colour Available : White / Black





ADJUSTABLE BEAM ANGLE : 12.5° to 45°



ADJUSTABLE BEAM ANGLE : 12.5° to 45°


HLT-4018 (25W)

Body Colour Available : White / Black



HLT-4023 (15W)



Body Colour Available : White / Black




Professional Glareproof Photomask Options



Model : T-02



Model : T-01




LED TRACK LIGHT




HLT-4024 (25W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



Model : T-12

Model : T-13


Model : T-11

Model : T-14




HLT-4025 (33W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



Model : T-22

Model : T-23


Model : T-21

Model : T-24



HLT-4026 (45W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options




Model : T-32

Model : T-33



HLT-4032 (10W)

Body Colour Available : White / Black



Elite Series

HYBEC®


lighting the future

LED TRACK LIGHT



HLT-4033 (15W)


Body Colour Available : White / Black





Professional Glareproof Photomask Options



Model : T-02




Model : T-01



HLT-4034 (25W)


Body Colour Available : White / Black




Professional Glareproof Photomask Options




Model : T-12



Model : T-13



Model : T-11




Model : T-14



HLT-4035 (33W)


Body Colour Available : White / Black




Professional Glareproof Photomask Options




Model : T-22



Model : T-23



Model : T-21




Model : T-24




HLT-4038 (12W)

Body Colour Available : White / Black



HLT-4040 (25W)

Body Colour Available : White / Black




Elite Series

HYBEC®

lighting the future

LED TRACK LIGHT




HLT-4044 (34W)

Body Colour Available : White / Black


SURFACE TRACK PATTI - 3 WIRE SINGLE PHASE

(Suitable for HLT-4006, HLT-4011, HLT-4013, HLT-4016, HLT-4018, HLT-4023, HLT-4024, HLT-4025, HLT-4026, HLT-4032, HLT-4035, HLT-4038, HLT-4040, HLT-4044)



Body Colour Available : White / Black

(3 Wire - 1 MTR Surface)
TR-4151



Body Colour Available : White / Black

(3 Wire - 2 MTR Surface)
TR-4152



Body Colour Available : White / Black

(3 Wire - Straight Connector)
TR-4153



Body Colour Available : White / Black

(3 Wire - T Connector)
TR-4154



Body Colour Available : White / Black

(3 Wire - L Connector)
TR-4155




Body Colour Available : White / Black

(3 Wire - Trans Short Ceiling Base)
TR-4157


RECESSED TRACK PATTI - 3 WIRE SINGLE PHASE

(Suitable for HLT-4006, HLT-4011, HLT-4013, HLT-4016, HLT-4018, HLT-4023, HLT-4024, HLT-4025, HLT-4026, HLT-4032, HLT-4035, HLT-4038, HLT-4040, HLT-4044)



Body Colour Available : White / Black

(3 Wire - 1 MTR Recessed)
TR-4171



Body Colour Available : White / Black

(3 Wire - 2 MTR Recessed)
TR-4172



Body Colour Available : White / Black

(3 Wire - Straight I Connector)
TR-4173



Body Colour Available : White / Black

(3 Wire - L Connector)
TR-4174



Body Colour Available : White / Black

(3 Wire - T Connector)
TR-4175



Body Colour Available : White / Black

(3 Wire - X Connector)
TR-4176



(Recessed Track Clamp)
TR-4178

SURFACE TRACK PATTI - 4 WIRE 3 PHASE



Body Colour Available : White / Black

(4 Wire - 3 PHASE - 1 MTR)
TR-4161



Body Colour Available : White / Black

(4 Wire - 3 PHASE - 2 MTR)
TR-4162



Body Colour Available : White / Black

(4 Wire - 3 PHASE - Straight Connector)
TR-4163



Body Colour Available : White / Black

(4 Wire - 3 PHASE - L Connector)
TR-4165



Body Colour Available : White / Black

(4 Wire - 3 PHASE - T Connector)
TR-4166



Body Colour Available : White / Black

(4 Wire - 3 PHASE - X Connector)
TR-4167



(Suspension Kit with Wire 1.5mtr. Long)

(4 Wire - 3 PHASE - Suspension Kit)
TR-4168

LED SURFACE SPOT LIGHT



HLS-3004 (3W)
Size : Ø38mmx45mm



HLS-3005 (3W)
Size : Ø63mmx15mm



HLS-3006 (3W)
Size : 63x63mmx15mm



HLS-3007 (5W)
Size : Ø64mmx33mm



HLS-3009 (11W)
Size : Ø130mmx150mm



HLS-3011 (8W)
Size : Ø90mmx75mm



HLS-3012 (12W)
Size : Ø120mmx75mm



HLS-3013 (16W)
Size : Ø140mmx75mm



HLS-3014 (12W)
Size : 76x76mmx90mm



HLS-3018 (7W)
Size : Ø60mmx152mm



HLS-3019 (2x12W)
Size : 152mmx164mm



HLS-3022 (12W)
Size : Ø85mmx120mm



HLS-3023 (10W)
Size : Ø50mmx165mm



HLS-3025 (10W)
Size : Ø55mmx150mm



HLS-3026 (7W)
Size : Ø100mmx93mm



HLS-3027 (9W)
Size : Ø90mmx125mm

LED SURFACE SPOT LIGHT



Available Body Colour : White & Black

HLS-3029 (16W)
Size : Ø120mmx140mm



Available Body Colour : White & Black

HLS-3031 (30W)
Size : Ø140mmx140mm



Available Body Colour : White & Black

HLS-3032 (10W)
Size : Ø52mmx138mm



Available Body Colour : White & Black

HLS-3033 (15W)
Size : Ø65mmx148mm



Available Body Colour : White & Black

HLS-3034 (30W)
Size : Ø95mmx204mm



HLS-3036 (9W)
Size : 95x95mmx120mm



Available Body Colour : White & Black

HLS-3037 (2x11W)
Size : 95x187mmx120mm



Available Body Colour : White & Black

HLS-3039 (20W)
Size : 272mmx77mm



Available Body Colour : White & Black

HLS-3040 (30W)
Size : 381mmx77mm



Available Body Colour : White & Black

HLS-3042 (12W)
Size : Ø52mmx200mm



Available Body Colour : White & Black

HLS-3044 (30W)
Size : Ø65mmx236mm



Available Body Colour : White & Black

HLS-3045 (38W)
Size : Ø105mmx285mm



HLS-3048 (11W)
Size : Ø107mmx120mm



HLS-3253 (10W)
Size : Ø150mmx90mm



HLS-3255 (5W)
Size : 90x90mmx70mm



HLS-3256 (15W)
Size : 150x150mmx70mm

LED SURFACE SPOT LIGHT



HLS-3258 (20W)
Size : 220x110mmx70mm



Available Body Colour : White & Black
HLS-3261 (5W)
Size : 49x49mmx83mm



Available Body Colour : White & Black
HLS-3264 (15W)
Size : 86x86mmx88mm



Available Body Colour : White & Black
HLS-3265 (30W)
Size : 125x125mmx88mm



Available Body Colour : White & Black
HLS-3271 (5W)
Size : Ø55mmx68mm



Available Body Colour : White & Black
HLS-3272 (8W)
Size : Ø80mmx93mm



Available Body Colour : White & Black
HLS-3273 (15W)
Size : Ø96mmx100mm

Elite Series

HYBEC®

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3452 (3W)
Size : Ø150x110mm



Available Body Colour : White & Black

HLA-3453 (1x3W)
Size : 100x31x350mm



HLA-3454 (3W)
Size : 85x33x420mm




HLA-3501 (6W)
Size : 80x100x100mm



HLA-3503 (6W)
Size : 245x120x100mm



HLA-3504 (12W)
Size : 410x120x100mm



HLA-3505 (18W)
Size : 575x120x100mm



HLA-3506 (6W)
Size : 245x100x95mm



HLA-3507 (12W)
Size : 445x100x100mm

Elite Series

HYBEC®

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3508 (6W)
Size : 170x50x110mm



HLA-3509 (12W)
Size : 425x50x110mm



HLA-3510 (3W)
Size : 140x45x83mm



HLA-3511 (6W)
Size : 290x45x83mm



HLA-3512 (9W)
Size : 440x45x83mm



HLA-3513 (16W)
Size : 300x76x50mm



HLA-3514 (24W)
Size : 500x76x50mm



HLA-3517 (4W)
Size : 270x60x122mm



HLA-3519 (4W)
Size : 240x120x114mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3520 (6W)
Size : 140x45x85mm




HLA-3521 (6W)
Size : 230x100x100mm




HLA-3522 (12W)
Size : 250x120x92mm



HLA-3523 (6W)
Size : 400x60x90mm



HLA-3527 (8W)
Size : 254x254x54mm



HLA-3528 (6W)
Size : 200x175x150mm



HLA-3539 (6W)
Size : 250x150x55mm



HLA-3540 (15W)
Size : Ø166x37mm



HLA-3547 (12W)
Size : 380x120x50mm

Elite Series

HYBEC®

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3548 (5W)
Size : 50x135mm



HLA-3604 (18W)
Size : 590x60x110mm



HLA-3605 (6W)
Size : 510x30x80mm



HLA-3607 (8W)
Size : 450x45x185mm



HLA-3608 (12W)
Size : 570x45x185mm



HLA-3609 (12W)
Size : 605x60x108mm



HLA-3610 (24W)
Size : 560x90x109mm



HLA-3611 (12W)
Size : 510x50x105mm



HLA-3612 (20W)
Size : 824x50x106mm


LED ARCHITECTURAL WALL & HANGING LIGHTS




HLA-3614 (8W)
Size : 460x60x140mm



HLA-3615 (12W)
Size : 600x60x140mm



HLA-3617 (8W)
Size : 360x50x150mm



HLA-3618 (12W)
Size : 510x50x150mm



HLA-3626 (8W)
Size : 270x215x46mm



HLA-3651 (3W)
Size : 170x80x60mm



HLA-3652 (6W)
Size : 190x130x80mm



HLA-3675 (10W)
Size : 340x160x45mm



HLA-3676 (15W)
Size : 520x160x45mm

Elite Series

HYBEC®

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3679 (18W)
Size : 600x90x53mm



HLA-3680 (8.5W)
Size : 365x60x100mm



HLA-3683 (16W)
Size : Ø250x58mm



HLA-3684 (16W)
Size : 240x240x58mm



HLA-3686 (6W)
Size : 250x80x140mm



HLA-3687 (9W)
Size : 400x80x140mm



HLA-3688 (12W)
Size : 550x80x140mm



HLA-3703 (15W)
Size : 520x70x145mm



HLA-3704 (5W)
Size : 125x110xH1200mm

Elite Series

HYBEC®

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3709 (3W)
Size : Ø90x230xH3000mm



HLA-3710 (12W)
Size : Ø250x90xH1200mm



HLA-3712 (6W)
Size : Ø125xH1200mm



HLA-3705 (6.5W)
Size : Ø185x70x220mm



HLA-3713 (28W)
Size : Ø300xH1200mm



HLA-3718 (30W)
Size : 400x185x110mm




HLA-3711 (5W)
Size : Ø125x110mm




HLA-3729 (3W)
Size : Ø25x150x54mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3730 (5W)
Size : 60x50x184mm



HLA-3722 (28W)
Size : 980x505xH1800mm



HLA-3804 (5W)
Size : Ø180xH1200mm



HLA-3805 (18W)
Size : 800x90xH1200mm

Elite Series

HYBEC
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3809
E-14 lamp x 1nos.
Housing Material :
METAL & PC & ABS



HLA-3815
(GREY BRUSH ANTIQUE)
E-27 lamp x 1nos.
Size : 200x160xH1430mm



HLA-3818
(MATT WHITE)
E-27 lamp x 1nos.
Size : Ø455xH1320mm



HLA-3849 (21W)
Size : Ø400xH1200mm



HLA-3850 (36W)
Size : Ø600xH1200mm



HLA-3851 (70W)
Size : 1193x180xH1200mm




HLA-3857 (7W)
Size : Ø60xH167mm
(WHITE WITH GOLD RING)

Elite Series


HYBEC

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3859 (8W)
Size : Ø280xH1200mm




HLA-3860 (15W)
Size : Ø250xH1500mm



HLA-3861 (15W)
Size : Ø65xH1200mm



HLA-3862 (30W)
Size : Ø95xH1500mm




HLA-3864 (5W)
Size : Ø130xH800mm



HLA-3865 (15W)
Size : Ø360xH800mm



HLA-3867 (31W)
Size : Ø350xH1200mm




HLA-3871 (12W)
Size : Ø165mm

Elite Series

HYBEC

lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3872 (24W)
Size : Ø300mm



HLA-3873 (48W)
Size : Ø600mm



HLA-3875 (24W)
COPPER FINISH
Size : Ø405xH150mm



HLA-3877 (35W) - SILVER
Size : Ø350xH700mm



HLA-3881 (27W)
Size : 300x300xH1200mm



HLA-3882 (40W)
Size : 600x300xH1200mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3883 (50W)
Size : 600x600xH1200mm



HLA-3886 (27W)
Size : Ø400xH1200mm



HLA-3887 (40W)
Size : Ø600xH1200mm



HLA-3891 (24.5W)
Size : 325x325xH1200mm



HLA-3892 (39W)
Size : 600x600xH1200mm



HLA-3893 (34W)
Size : 600x200xH1200mm



HLA-3894 (59W)
Size : 1200x200xH1200mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3895 (103.5W)
300x300xH1200mm
450x450xH1200mm
600x600xH1200mm




HLA-3896 (31W)
Size : Ø450xH1200mm



HLA-3897 (35W)
Size : Ø600xH1200mm



HLA-3898 (86W)
Ø300xH1200mm
Ø450xH1200mm
Ø600xH1200mm



HLA-3900 (28W) - SILVER
Size : 940x120xH1200mm

Elite Series



LED ARCHITECTURAL SURFACE CEILING LIGHTS



HLA-3901 (5W)
Size : Ø180x115mm



HLA-3902 (12W)
Size : Ø260x115mm



HLA-3903 (44W)
Size : 300x300x70mm




HLA-3904 (20W)
Size : 300x300x75mm




HLA-3922 (24W)
Size : Ø555xH590mm



HLA-3931 (17W)
Size : 400xH80mm



HLA-3933 (20W)
Size : 445x500x55mm



HLA-3934 (54W)
Size : Ø600x48mm


LED STRIP LIGHTS - NON-WATERPROOF (IP20) - HIGH LUMENS




HLL-4501 - 12V (8mm White PCB - 8mm)
384 LED/MTR - COB - 10W




HLL-4502 - 24V (White PCB - 10mm)
120 LED/MTR - 2835 - 10W




HLL-4505 - 12V (Black PCB - 8mm)
120 LED/MTR - 2835 - 14W




HLL-4509 - 24V (PCB - 8mm)
60 LED/MTR - 2835 - 6W




HLL-4510 - 24V (PCB - 8mm)
120 LED/MTR - 2835 - 12W



HLL-4511 - 24V (PCB - 10mm)
192 LED/MTR - 2835 - 20W



HLL-4512 - 24V (PCB - 10mm)
240 LED/MTR - 2835 - 24W



HLL-4517 - 12V / 24V (PCB - 10mm)
60 LED/MTR - 2835 - 15W RGBW

EMPTY PROFILE - SURFACE PROFILES

REMARK : (1). ALL THE PROFILE LIGHTS MODEL NUMBERS ARE CHANGED. (2). ALL THE EMPTY PROFILES AVAILABLE IN SILVER ANODIZING ONLY. (3). ALL THE EMPTY PROFILES SIDE END CAPS IS POLYCARBONATE. (4). ALL THE PROFILE LIGHTS MAXIMUM LENGTH IS 2MTR / 3MTR. (5). ALL THE EMPTY PROFILE LIGHTS MINIMUM ORDER 20MTR / 40MTR ACCORDING TO PRODUCT.




HLL-1009 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 26x17mm



HLL-1011 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 35x17mm



HLL-1013: SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 50x18mm



HLL-1015: SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 65x35mm

EMPTY PROFILE - SURFACE WALL WASHER PROFILES



HLL-1027 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 20x15mm

EMPTY PROFILE - BLACK SURFACE PROFILES WITH BLACK DIFFUSER



HLL-1020 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 13x10mm



HLL-1021 : SURFACE BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 18x7mm



HLL-1023 : SURFACE BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 17x14mm

EMPTY PROFILE - SURFACE CORNER PROFILES



HLL-1034 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 15x15mm



HLL-1036 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 15x15mm

EMPTY PROFILE - CONCEALED PROFILES




HLL-1050 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 11xD9mm / CUT-OUT : 7xD8mm



HLL-1052 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 25xD7mm / CUT-OUT : 17xD5mm



HLL-1054 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 25xD7mm / CUT-OUT : 17xD5mm




HLL-1056 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 25xD15mm / CUT-OUT : 18xD12mm



HLL-1058 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 30xD10mm / CUT-OUT : 23xD8mm



HLL-1060 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 36xD17mm / CUT-OUT : 26xD15mm



HLL-1062 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 46xD17mm / CUT-OUT : 34xD15mm

EMPTY PROFILE - BLACK CONCEALED PROFILES WITH BLACK DIFFUSER



HLL-1064 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 13xD12mm / CUT-OUT : 8mm




HLL-1066 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 24xD17mm / CUT-OUT : 17mm



HLL-1067 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 25xD14mm / CUT-OUT : 17mm

EMPTY PROFILE - CONCEALED GROUND FLOORING WALK OVER PROFILES



HLL-1072 : GROUND FLOORING CONCELD
STANDARD LENGTH : 3MTR
SIZE : 27xD11mm / CUT-OUT : 20xD8mm



HLL-1074 : GROUND FLOORING CONCELD
STANDARD LENGTH : 3MTR
SIZE : 21mmxD26mm / CUT-OUT : 15xD23mm

EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES



HLL-1084 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 8FT
SIZE : 28xD26mm / CUT-OUT : 20xD24mm




HLL-1086 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 8FT
SIZE : 53xD47mm / CUT-OUT : 38xD45mm

EMPTY PROFILE - CONCEALED WALL WASHER PROFILES




HLL-1102 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 30xD15mm / CUT-OUT : 22xD13mm


EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES




HLL-1122 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 32xD13mm / CUT-OUT : 10xD11mm




HLL-1124 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 47xD9mm / CUT-OUT : 7xD7mm



HLL-1126 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 73xD16mm / CUT-OUT : 31xD14mm



HLL-1128 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 95xD32mm / CUT-OUT : 35xD30mm



HLL-1130 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 36xD21mm / CUT-OUT : 10xD21mm

EMPTY PROFILE - BLACK CONCEALED TRIMLESS PROFILES



HLL-1140 : RECESSED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 52.5xD15mm / CUT-OUT : 12.5mm



HLL-1142 : RECESSED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 61.45xD14mm / CUT-OUT : 29mm

EMPTY PROFILE - UP-DOWN SURFACE PROFILES



HLL-1152 : SURFACE BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 42xD17mm




HLL-1154 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 48xD19mm

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 7MM X 10MM

Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
MAX LENGTH 8FT.

HLL-1202 (7MM)




SIZE : 10MM X 6MM



Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1204 (10MM)



SIZE : 12MM X 15MM



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
640Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1206 (12MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



SIZE : 15MM X 9MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
4W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
72 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.

HLL-1208 (15MM)



Thikness 1.2mm



SIZE : 17MM X 8MM


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.

HLL-1210 (17MM)



SIZE : 17MM X 14MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.


HLL-1212 (17MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 22MM X 18MM



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1214 (22MM)



SIZE : 25MM X 27MM


TUNABLE DIMMABLE



Intelligent remote control
dimmer tuning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.

HLL-1216 (25MM)



SIZE : 35MM X 35MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer tuning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.


HLL-1218 (35MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 40MM X 15MM



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.

HLL-1220 (40MM)



SIZE : 50MM X 35MM


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.

HLL-1222 (50MM)



SIZE : 65MM X 35MM

TUNABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.


HLL-1224 (65MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 90MM X 35MM



Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
40V (Constant Voltage)
FIXED LENGTH 2FT/4FT/6FT/8FT.

HLL-1226 (90MM)




SIZE : 120MM X 35MM



Aluminium Extrusion
20W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
1600Lumens/ft.
40V (Constant Voltage)
FIXED LENGTH 2FT/4FT/6FT/8FT.

HLL-1228 (120MM)



SIZE : 36MM X 64MM



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
55 LED /ft
3000K/4000K/6500K
800Lumens/ft.
40V (Constant Voltage)
WITH IN-BUILT DRIVER
FIXED LENGTH 2FT/4FT/6FT/8FT.


HLL-1230 (36MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH TOUCH SENSOR




SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
IN BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1236 (17MM)

LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH IR SENSOR



SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
N BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1240 (17MM)

LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH MOTION SENSOR



SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
IN BUILT SENSOR 96W(12V/24V)
MAX LENGTH 8FT.

HLL-1244 (17MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WALL WASHER PROFILES



NEW SURFACE WALL WASHER



SIZE : 20MM X 15MM




Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1248 (20MM)

LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR CURTAIN PROFILE LIGHT



SIZE : 23MM X 9MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1250 (23MM)




TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
72 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 15MM X 12MM

HLL-1252 (15MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR PROFILE LIGHT



SIZE : 15MM X 15MM

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1258 (15MM)



ANGULAR PROFILE LIGHT



SIZE : 15MM X 15MM

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1260 (15MM)



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 25MM X 30MM


HLL-1262 (25MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CORNER SURFACE PROFILES



SIZE : 30MM X 30MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

78 LED /ft

3000K/4000K/6500K


800Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.

HLL-1264 (30MM)

LED PROFILE LIGHT - 3 SIDE ACRYLIC SURFACE PROFILES



SIZE : 26MM X 23MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

78 LED /ft

3000K/4000K/6500K

800Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.


HLL-1266 (26MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SURFACE WITH LENSE PROFILE LIGHT



max. length of lens - 200mm



SIZE : 15MM X 15MM




Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
81 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
Lens Degree: 15°
Fix Available Length :
200 / 400 / 600 / 800mm
MAX LENGTH 8FT.

HLL-1280 (15MM SYMMETRIC LENSE 15°)



max. length of lens - 200mm



SIZE : 20MM X 15MM



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
81 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
Lens Degree: 35°X105°
Fix Available Length :
200 / 400 / 600 / 800mm
MAX LENGTH 8FT.



HLL-1282 (20MM ASYMMETRIC LENSE 35°X105°)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - SURFACE WITH FROSTED LENSE PROFILE LIGHT



SIZE : 13MM X 10MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
40V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1294 (9.55MM)



SIZE : 18MM X 7MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
40V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1296 (17.35MM)



SIZE : 17 MM X 14 MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
40V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1298(17MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES




SIZE : 5MM X 25MM



Aluminium Extrusion
3W/ft.
EVERLITE
SMD LED 3014 (0.2W)
36 LED /ft
3000K/4000K/6500K
120Lumens/ft.
24V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1306 (5MM GROOVE LIGHT)




SIZE : 9MM X 25MM
CUT-OUT : 6MM X 23MM



Aluminium Extrusion
3W/ft.
EVERLITE
SMD LED 3014(0.2W)
56 LED /ft
3000K/4000K/6500K
120Lumens/ft.
24V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1308 (9MM GROOVE LIGHT WITH SLIM TRIM)



SIZE : 12MM X 15MM
CUT-OUT : 7MM X 8MM(DEPTH)



Aluminium Extrusion
3W/ft.
EVERLITE/EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1310 (10MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALD WITH DIFFUSER PROFILES



SIZE : 23MM X 15MM
CUT-OUT : 18MM X 13MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1312 (23MM)



SIZE : 23MM X 20MM
CUT-OUT : 18MM X 18MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1315(23MM)



SIZE : 25MM X 7MM
CUT-OUT : 17MM X 5MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1316 (25MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALD WITH DIFFUSER PROFILES



NEW 30MM RECESSED PROFILE



SIZE : 30MM X 10MM
CUT-OUT : 23MM X 8MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1320 (30MM)



SIZE : 36MM X 18MM
CUT-OUT : 27MM X 16MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1322 (36MM)



SIZE : 50MM X 32MM
CUT-OUT : 35MM X 30MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1324 (50MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES



SIZE : 84MM X 40MM
CUT-OUT : 69MM X 38MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1326 (84MM)



SIZE : 48MM X 70MM
CUT-OUT : 36MM X 68MM(DEPTH)



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
55 LED /ft
3000K/4000K/6500K
400Lumens/ft.
Constant Current (40V)
MAX LENGTH 2FT/4FT/6FT/8FT.


HLL-1334(48MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - CONCEALED BLACK DIFFUSER



SIZE : 13MM X 12MM
CUT-OUT : 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1338 (13MM)



SIZE : 24MM X 7MM
CUT-OUT : 17MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1339 (24MM)



SIZE : 25MM X 14MM
CUT-OUT : 17MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1340 (24MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED CABINET WITH TOUCH SENSOR




SIZE : 25MM X 8MM
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
IN BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1342 (25MM)

LED PROFILE LIGHT - CONCEALED CABINET WITH IR SENSOR




SIZE : 25MM X 8MM
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
N BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1345 (25MM)

LED PROFILE LIGHT - CONCEALED CABINET WITH MOTION SENSOR



SIZE : 25MM X 8MM
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
IN BUILT SENSOR 96W(12V/24V)
MAX LENGTH 8FT.


HLL-1348 (25MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



SIZE : 28MM X 26MM
CUT-OUT : 20MM X 24MM(DEPTH)

TUNABLE DIMMABLE




Intelligent remote control
dimmer tuning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1352 (28MM)



ANTI-GLARE RECESSED PROFILE



SIZE : 53MM X 47MM
CUT-OUT : 38MM X 45MM(DEPTH)

TUNABLE DIMMABLE




Intelligent remote control
dimmer tuning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1354 (53MM)



**DEEP ANTI-GLARE RECESSED PROFILE
WITH SLIM RIM**



SIZE : 50MM X 53MM
CUT-OUT : 43MM X 50MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer tuning


Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1356 (50MM)

LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



ANTI-GLARE RECESSED PROFILE CURVE



SIZE : 65MM X 60MM
CUT-OUT : 50MM X 58MM(DEPTH)




Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1358 (65MM)



ANTI-GLARE RECESSED PROFILE



SIZE : 60MM X 45MM
CUT-OUT : 55MM X 43MM(DEPTH)




Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
36 LED /ft
3000K/4000K/6500K
500Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 2FT/4FT/6FT/8FT.

HLL-1360 (60MM)

LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES



COMPACT RECESSED WALL-WASHER PROFILE



SIZE : 30MM X 15MM
CUT-OUT : 22MM X 13MM(DEPTH)




Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1362 (30MM)

LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES



RECESSED WALL-WASHER PROFILE



SIZE : 55MM X 50MM
CUT-OUT : 45MM X 48MM(DEPTH)

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
640Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1364 (55MM)



RECESSED WALL-WASHER PROFILE



SIZE : 75MM X 25MM
CUT-OUT : 62MM X 23MM(DEPTH)

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1366 (75MM)

LED PROFILE LIGHT - 3 SIDE ACRYLIC CONCEALED PROFILES



SIZE : 60MM X 27MM
CUT-OUT : 50MM X 16MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1370 (60MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES




SIZE : 32MM X 13MM
CUT-OUT : 10MM X 11MM(DEPTH)



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1382 (32MM)




SIZE : 47MM X 9MM
CUT-OUT : 7MM X 7MM(DEPTH)



Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240 Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1384 (47MM)



SIZE : 73MM X 16MM
CUT-OUT : 31MM X 14MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
MAX LENGTH 8FT.


HLL-1386 (73MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES



SIZE : 95MM X 32MM
CUT-OUT : 35MM X 30MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1388 (95MM)



SIZE : 95MM X 62MM
CUT-OUT : 35MM X 60MM(DEPTH)


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
55 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
Driver in built
MAX LENGTH 2FT/4FT/6FT/8FT.

HLL-1390 (95MM)



SIZE : 36MM X 21MM
CUT-OUT : 10MM X 21MM(DEPTH)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1392 (36MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES



SIZE : 47MM X 9MM
CUT-OUT : 7MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V(Constant Voltage)
MAX LENGTH 8FT.

HLL-1398 (47MM)





SIZE : 73MM X 16MM
CUT-OUT : 31MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1400 (73MM)

LED PROFILE LIGHT - UP - DOWN WALL SURFACE PROFILES



SIZE : 72MM X 17MM



Aluminium Extrusion
5W/ft
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V (Constant Voltage)
MAX LENGTH- 8FT



HLL-1404 (42MM) (ONE WAY)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - UP - DOWN WALL SURFACE PROFILES



SIZE : 48MM X 19MM

Aluminium Extrusion
10W/ft
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V (Constant Voltage)
MAX LENGTH- 8FT

HLL-1406 (47MM) (TWO WAY)



SIZE : 85MM X 35MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
96V, 110mA (2FT.)
(Constant Current)
DRIVER IN-BUILD
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1410 (73MM) (TWO WAY)

LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS




ACCESSORIES




DOOR SENSOR



SIDE CLIP



CENTER CLIP



SIZE : 10MM X 25MM



5W/ft.
Everlite LED, 39LED/ft.
3000K/4000K/6500K
400Lumens/ft
24V
MAX LENGTH 8FT.



HLL-1418 (10MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS




SIZE : 30MM X 20MM




5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.

HLL-1422 (30MM)




SIZE : 18MM X 11MM



5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.

HLL-1428 (18MM)

LED PROFILE LIGHT - SURFACE WALL SKIRTING PROFILE LIGHTS



SIZE : 80MM X 16MM



5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.


HLL-1434 (80MM)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 36MM x 26MM
CUT-OUT : 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Current)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1450 (36MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 26MM X 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Current)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1452 (26MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Current)
IN-BUILT DRIVER
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.
96V, 110mA (2ft.)


HLL-1454 (26MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 36MM x 26MM
CUT-OUT : 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion

9W/ft.

BRIDGELUX/OSRAM 1W 6LED

3030LED 6LED

18LED 2835LED/ft

3000K/4000K/6500K

400Lumens/ft.

12V Constant Current


NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1458 (36MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 26MM X 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion

9W/ft.

BRIDGELUX/OSRAM 1W 6 LED

3030LED/ft.

39LED 2835LED/ft

3000K/4000K/6500K

400Lumens/ft.

12V Constant Current


NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1462 (26MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion
9W/ft.

BRIDGELUX /OSRAM 1W 6 LED

3030LED/ft. LED2835 39LED/FT

3000K/4000K/6500K

400Lumens/ft.

(Constant Current) 96V,

110mA (2ft.)

IN-BUILT DRIVER

NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1464 (26MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 36MM x 26MM
CUT-OUT : 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W
6LED 3030/ft, LED2835, 39LED/FT.
3000K/4000K/6500K
700Lumens/ft.
12V (Constant Current)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1465 (36 MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 26MM X 26MM


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX / OSRAM 1W
6LED 3030, 2835 39LED/FT.
3000K/4000K/6500K
700Lumens/ft.
12V (Constant Current)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1466 (26MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion
9W/ft.
BRIDGELUX / OSRAM 1W 6LED
LED3030 LED 2835 39LED/FT
3000K/4000K/6500K
700Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1467 (26MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 56MM x 26MM
CUT-OUT : 44MM


TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.
24V (CONSTANT CURRENT)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1468 (56MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 44MM X 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.
24V (CONSTANT CURRENT)
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1472 (44MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1474 (44MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 56MM x 26MM
CUT-OUT : 44MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W
12LED 3030/ft

36LED 2835 (0.2W)/ft
3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage /CC


MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1480 (56MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 44MM X 26MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W
12LED 3030/ft

36LED 2835 (0.2W)/ft
3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage /CC


MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1484 (44MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W
12LED 3030/ft

36LED 2835 (0.2W)/ft
3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage/CC

IN-BUILT DRIVER

MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1488 (44MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)

CONCEALED




SIZE : 37MM x 36MM
CUT-OUT : 25MM

Aluminium Extrusion
9W/ft.

BRIDGELUX/OSRAM 1W
5LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.


12V Constant Voltage (CC)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1494 (00MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 25MM X 36MM

Aluminium Extrusion
9W/ft.

BRIDGELUX/OSRAM 1W
5LED 3030/ft
LED2835 39LED/FT.(0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.


12V Constant Voltage (CC)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1498 (25MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 25MM X 78MM

Aluminium Extrusion
9W/ft.

BRIDGELUX/OSRAM 1W
5LED 3030/ft
LED2835 39LED/FT. (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.

12V Constant Voltage (CC)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1500 (25MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)

CONCEALED



SIZE : 88MM x 33MM
CUT-OUT : 73MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion

12W/ft.

BRIDGELUX/OSRAM 1W

15LED 3030/ft

78LED 2835 (0.2W)/ft

3000K/4000K/6500K

700Lumens/ft.

12V Constant Voltage/CC


MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1506 (88MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 73MM X 33MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion

12W/ft.

BRIDGELUX/OSRAM 1W

15LED 3030/ft

78LED 2835 (0.2W)/ft

3000K/4000K/6500K

700Lumens/ft.

12V Constant Voltage/CC


MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1508 (73MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 73MM X 75MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion

12W/ft.

BRIDGELUX/OSRAM 1W

15LED 3030/ft

78LED 2835 (0.2W)/ft

3000K/4000K/6500K

700Lumens/ft.

12V Constant Voltage/CC

IN-BUILT DRIVER

MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1510 (73MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)

CONCEALED



SIZE : 88MM x 33MM
CUT-OUT : 73MM

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1516 (88MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 73MM X 33MM

TUNABLE DIMMABLE




Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1518 (73MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 73MM X 75MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1520 (73MM SUSPENDED)


LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED

WITH LINEAR SPOTS
-1W EACH HIGH POWER LED
-10W/FT CENTER DIFFUSED LIGHT



SIZE : 48MM x 36MM
CUT-OUT : 34MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
LED2835 39LED/FT. - (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH / 8FT.


HLL-1526 (48MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE

WITH LINEAR SPOTS
-1W EACH HIGH POWER LED
-10W/FT CENTER DIFFUSED LIGHT



SIZE : 34MM X 36MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH / 8FT.

HLL-1528 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH / 8FT.


HLL-1530 (34MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED



SIZE : 48MM x 36MM
CUT-OUT : 34MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1536 (48MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE



SIZE : 34MM X 36MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1538 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1540 (34MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED



SIZE : 46MM x 36MM
CUT-OUT : 34MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
39 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1546 (46MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)


SURFACE



SIZE : 34MM X 36MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
39 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1548 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
39 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1550 (34MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)


CONCEALED



SIZE : 46MM x 36MM
CUT-OUT : 34MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1558 (46MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE



SIZE : 34MM X 36MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1560 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
(0.2W) 10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1562 (34MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 32mmx32mm)

CONCEALED



SIZE : 113MM x 34MM
CUT-OUT : 95MM


Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1592 (113MM CONCEALED)



BIG LASER PROFILE
(Reflector : 32mmx32mm)

SURFACE



SIZE : 95MM X 34MM


Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1594 (95MM SURFACE)



BIG LASER PROFILE
(Reflector : 32mmx32mm)

HANGING



SIZE : 95MM X 74MM


Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1596 (95MM SUSPENDED)

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16 LOUVER)



CONCEALED




SIZE : 51MM x 34MM
CUT-OUT : 37MM

Aluminium Extrusion
10W/ft
BRIDGELUX / OSRAM LED2835
78LED/FT. (0.2W) 36LED
2835(0.2W)/FT
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1630 (51MM TRIMLESS)



SURFACE




SIZE : 37MM x 34MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM
LED2835 78LED/FT
(0.2W)
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1632 (37MM TRIMLESS)



HANGING



SIZE : 37MM x 74MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
LED2835 78LED/FT. (0.2W)
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1634 (37MM TRIMLESS)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED / SUSPENDED PROFILES (UGR 16 LOUVER WITH SPOT)



CONCEALED




SIZE : 123MM x 34MM
Cut-Out : 111mm

Aluminium Extrusion
30W/ft. (LENGTH 270mm.)
BRIDGELUX / OSRAM 3030
10LED 1W. LED2835 156LED/FT.
(0.2W)
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1642 (123MM TRIMLESS)



HANGING



SIZE : 111MM x 34MM
Cut-Out : 111mm


Aluminium Extrusion
30W/ft. (LENGTH 270mm.)
BRIDGELUX / OSRAM 3030
10LED 1W. LED2835 156LED/FT.
(0.2W)
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current

HLL-1646 (123MM TRIMLESS)

**LED PROFILE LIGHT - CONCEALED ONE WAY & TWO WAY PROFILES
(WALL WASHER REFLECTOR UGR LESS THAN 19)**



WALL WASHER




SIZE : 51MM x 34MM
Cut-Out : 37mm

Aluminium Extrusion
10W/FT.(LENGTH 305mm)
BRIDGELUX 3030 10LED 1W
3000K/4000K/6500K
600Lumens/ft.
10V Constant Current

HLL-1662(51MM TRIMLESS)



WALL WASHER WITH SPOT




SIZE : 86MM x 34MM
Cut-Out : 74mm

Aluminium Extrusion
20W/FT.(LENGTH 305mm)
BRIDGELUX 3030 20LED
3000K/4000K/6500K
600Lumens/ft.
40V Constant Current

HLL-1664(86MM TRIMLESS)



WALL WASHER WITH UGR 16 LOUVER



SIZE : 86MM x 34MM
Cut-Out : 74mm

Aluminium Extrusion
20W/FT.(LENGTH 305mm)
BRIDGELUX 3030 10LED 1W
3000K/4000K/6500K
600Lumens/ft.
12V(Constant Voltage) for
honey com 40V CC for
wall washer

HLL-1668(86MM TRIMLESS)


Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (WALL WASHER UGR LESS THAN 19)

CONCEALED




SIZE : 52MM x 70MM
Cut-Out : 43mm

Aluminium Extrusion
5W/FT.(MAX LENGTH 200mm)
BRIDGELUX 3030 1W 5LED 200mm
3000K/4000K/6500K
600Lumens/ft.
40V(Constant Current)

HLL-1683(52MM TRIMLESS)

SURFACE



SIZE : 43MM x 70MM

Aluminium Extrusion
5W/FT.(MAX LENGTH 200mm)
BRIDGELUX 3030 1W 5LED 200mm
3000K/4000K/6500K
600Lumens/ft.
40V(Constant Current)

HLL-1684(43MM TRIMLESS)

HANGING



SIZE : 111MM x 43MM

Aluminium Extrusion
5W/FT.(MAX LENGTH 200mm)
BRIDGELUX 3030 1W 5LED 200mm
3000K/4000K/6500K
600Lumens/ft.
40V(Constant Current)

HLL-1688(43MM TRIMLESS)



Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®

lighting the future



LED PROFILE LIGHT - SUSPENDED PROFILES



SIZE : 15MM x 25MM

5W/FT.
BRIDGELUX / EDISON 2835 LED
25LED (0.2W)/ft.
3000K/4000K/6500K
96V, 110mA (2FT)
600Lumens/ft.
40V(Constant Current)
MAX LENGTH 2FT/4FT/6FT/8FT

HLL-1682(15MM)




SIZE : 17MM X 55MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON LED,2535
25LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
96V,110mA (2FT.)
12V (Constant Voltage)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1690 (17MM SUSPENDED)



Available in 1 WAY Available in 2 WAY



SIZE : 42MM X 72MM



10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1700 (42MM SUSPENDED)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**




LED PROFILE LIGHT - SUSPENDED PROFILES



Available in 1 WAY Available in 2 WAY




SIZE : 70MM X 72MM



15W/ft.
BRIDGELUX / EDISON 2835 LED,
84LED (0.2W)/ft.
3000K/4000K/6500K
1200Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1705 (70MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED ANTI-GLARE PROFILES





SIZE : 45MM X 76MM



TUNABLE DIMMABLE
Intelligent remote control
dimmer tuning
Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED, 39LED/ft.
(0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1720 (45MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED LOWER ANTI-GLARE PROFILES



SIZE : 50MM X 65MM

Aluminium Extrusion
10W/ft.
BRIDGELUX 0.2W 2835 LED,
90LED /ft.
3000K/4000K/6500K
800Lumens/ft.
40V (Constant Current)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.



HLL-1728 (50MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**





LED PROFILE LIGHT - SUSPENDED LOWER ANTI-GLARE PROFILES



SIZE : 45MM X 72MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W) /ft.
3000K/4000K/6500K
1200Lumens/ft.
40V, 1mA (2FT.)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1730 (45MM SUSPENDED)



SIZE : 65MM X 100MM

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON 2835 LED,
110LED (0.2W) /ft.
3000K/4000K/6500K
1200Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.



HLL-1732 (65MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - 3SIDE ACRYLIC SUSPENDED PROFILES



SIZE : 45MM X 65MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED(0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1736 (45MM SUSPENDED)




SIZE : 45MM X 45MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
156LED (0.2W)/ft.
3000K/4000K/6500K
1000Lumens/ft.
(Constant Current)
MAX LENGTH 8FT.

HLL-1738 (45MM SUSPENDED)

LED PROFILE LIGHT - ROUND SUSPENDED PROFILES



SIZE : Ø30MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
CONSTANT CURRENT
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1740 (30MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - ROUND SUSPENDED PROFILES





SIZE : Ø60MM

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1742 (60MM SUSPENDED)

LED PROFILE LIGHT - LED ROUND SLIM SUSPENDED POLYCARBONATE TUBE (360° LIGHT)




SIZE : 46mmx35mm

Aluminium Extrusion
10W/ft.
BRIDGELUX 0.2W 2835 110LED /2FT.
216LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
40V (Constant Current)
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1746 (46MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED PROFILES (BLACK LOUVER UGR LESS THAN 16)



SIZE : 111mmx34mm

Aluminium Extrusion
20W/ft.
BRIDGELUX 0.2W 2835 156LED /FT.
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1756 (111MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**



LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES




SIZE : 62MM X 68MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON LED2835 55LED
(0.2W)/ft.
3000K/4000K/6500K
1000Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1750 (62MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES



SIZE : 122MM X 80MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
(0.2W) 55LED/ft.
3000K/4000K/6500K
1000Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1752 (122MM SUSPENDED)

LED PROFILE LIGHT - TRUNKING WITH HALF ROUND MILKY DIFFUSER LENS SYMMENTRIC / DOUBLE ASYMMENTRIC (BODY COLOR WHITE ,BLACK AVAILABLE)



HLL-1753 (20W)
Size : W65xH27xL1150mm



HLL-1754 (20W)
Size : W65xH27xL1150mm

LED PROFILE LIGHT - SUSPENDED TRUNKING SYSTEM (BODY COLOR WHITE ,BLACK AVAILABLE)



HLL-1757 (40W)
Size : 1130mmx63mmx43mm



HLL-1758
Size : H50mmxW60mm



HLL-1759
Size : H50mmxW60mm



HLL-1761
Size : H10xW60xL300mm



HLL-1763
Size : H10xW60mmxL600mm



HLL-1764
Size : H40xW60mm



HLL-1765



HLL-1766



HLL-1767

LED 3 WIRE LINEAR TRACK PROFILE LIGHT WITH IN BUILT DRIVER



LH

HLL-1772

Length: 600mm 800mm 1200mm 1600mm

LED ARCHITECTURAL DESIGNER SUSPENDED LIGHT (COMPLETE SET WHITE/BLACK)



LH

HLL-1790 (10W)

Size : Ø35xH90mm



LH

HLL-1792 (10W)

Size : Ø73xH85mm



LH

HLL-1794

Size : Ø95xH80mm



LH

HLL-1795 (10W)

Size : Ø70xH101mm



LH

HLL-1801 (6W)

Size : Ø140xH165mm



LH

HLL-1803 (10W)

Size : Ø185xH155mm



LH

HLL-1805 (6W)

Size : Ø115xH110mm



LH

HLL-1807 (10W)

Size : Ø244 x H170mm



LH

HLL-1810 (8W)

Size : Ø150xH185mm

LED ARCHITECTURAL SLIM SUSPENDED LIGHT - (SS 202) Powder Coating Body Colour - White & Black Electro Plating - Shining Gold, Shining Rose Gold, Antique Gold, Antique Rose Gold (Complete Set)



HLL-1818 (7W)
Size : Ø28xH300mm



HLL-1819 (10W)
Size : Ø50x H300mm



HLL-1820 (10W)
Size : Ø28xH600mm



HLL-1822 (10W)
Size : Ø28x H900mm



HLL-1823 (10W)
Size : Ø50xH120mm



HLL-1824 (15W)
Size : Ø75xH120mm



HLL-1825 (25W)
Size : Ø100x H180mm

LED SURFACE LIGHT



HLL-1826 (10W)
Size : Ø50xH120mm(H150)



HLL-1827 (10W)
Size : Ø50 x H300mm



HLL-1828 (15W)
Size : Ø75xH120mm



HLL-1829 (25W)
Size : Ø100xH180mm

LED SLIM ANTI-GLARE SURFACE LIGHT



HLL-1830(10W)
Size : Ø50xH120mm



HLL-1831 (15W)
Size : Ø75xH120mm

LED ARCHITECTURAL SUSPENDED LIGHT - (FULL ALUMINIUM BODY)



HLL-1832 (20W)
Size : Ø450xW30xH27mm



HLL-1834 (40W)
Size : Ø600xW30xH27mm



HLL-1836 (20W)
Size : Ø450xW60xH45mm



HLL-1840 (40W)
Size : Ø600xW60xH45mm




HLL-1842 (20W)
Size : Ø450xW60xH75mm



HLL-1844 (40W)
Size : Ø600xW60xH75mm



HLL-1854 (20W)
Size : Ø300xH45mm




HLL-1856 (30W)
Size : Ø450xH45mm




HLL-1858 (40W)
Size : Ø600xH45mm


LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)




HLL-1860 (20W)
Size : Ø300xW30xH75mm




HLL-1862 (20W)
Size : Ø450xH75mm



HLL-1864 (40W)
Size : Ø600xH75mm



HLL-1866 (20W)
Size : ⬡450xW36xH65mm




HLL-1868 (40W)
Size : ⬡600xW36xH65mm




HLL-1870 (20W)
Size : ⬡450xW42xH72mm



HLL-1872 (40W)
Size : ⬡600xW42xH72mm



HLL-1884 (20W)
Size : ⬡450xH75mm



HLL-1886 (40W)
Size : ⬡600xH75mm

LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)



HLL-1900 (40W)
Size : ◇600xW60xH75mm



HLL-1906 (40W)
Size : ◇600xW60xH75mm

LED ARCHITECTURAL SURFACE CEILING LIGHT - FULL ALUMINIUM BODY (Inbuilt Driver)



HLL-1930 (30W)
Size : Ø450xH75mm



HLL-1932 (40W)
Size : Ø600xH75mm



HLL-1934 (20W)
Size : Ø300xH75mm




HLL-1936 (30W)
Size : Ø450xH75mm




HLL-1938 (40W)
Size : Ø600xH75mm



HLL-1940 (20W)
Size : ◎300xW42xH75mm



HLL-1942 (30W)
Size : ◎450xW42xH75mm



HLL-1944 (30W)
Size : ◎600xW42xH75mm



HLL-1947 (40W)
Size : ◇600xW60xH75mm



HLL-1950 (40W)
Size : ◇600xW60xH75mm

LED CONSTANT CURRENT & VOLTAGE TUNEABLE DRIVER FOR SUSPENDED, CONCEALED & SURFACE PROFILE FIXTURES.

CONSTANT CURRENT TUNEABLE DRIVER



HLD-4885 - 20W/40W
30-42V - 500-950Amp

CONSTANT CURRENT TUNEABLE DRIVER



HLD-4892 - 12V
12V - 5Amp



HLD-4895 - 12V
12V - 10Amp

LED STRIP AMPLIFIER / CONTROLLER / DIMMER - 12V/24V



HLD-4801 - 12V/24V
MINI STRIP DIMMER
WITH REMOTE



HLD-4802 - 12V/24V
MINI STRIP DIMMER
REPEATER



HLD-4804 - 12V/24V
HEAVY DIMMER



HLD-4805 - 12V/24V
144W-RGB CONTROLLER



HLD-4806 - 12V/24V
144W-RGB AMPLIFIER

LED CONSTANT CURRENT DIMMABLE DRIVER



HLD-4831 (8W)
DC200mA / 26-42V



HLD-4832 (8W)
DC350mA / 9-24V



HLD-4833 (12W)
DC350mA / 26-42V



HLD-4834 (18W)
DC350mA / 43-60V



HLD-4835 (12W)
DC300mA / 26-42V



HLD-4836 (16W)
DC500mA / 26-42V



HLD-4839 (30W)
DC700mA / 26-42V



HLD-4842 (40W)
DC1000mA / 26-42V

LED CONSTANT VOLTAGE DIMMABLE DRIVER - 12V - 2 IN 1 (TRIAC DIMMABLE / 0/1-10V ANALOG)



HLD-4851 (60W - 12V)
0/1-10V + Triac Dimmable
AC170-250V - 1.2A/110VAC



HLD-4865 (100W - 12V)
0/1-10V + Triac Dimmable
AC170-250V - 1.2A/110VAC



HLD-4867 (150W - 12V)
0/1-10V + Triac Dimmable
AC170-250V / 1.2A/110VAC

LED CONSTANT VOLTAGE DIMMABLE DRIVER - 24V - 2 IN 1 (TRIAC DIMMABLE / 0/1-10V ANALOG)



HLD-4868 (60W - 24V)
0/1-10V + Triac Dimmable
AC170-250V - 1.2A/110VAC



HLD-4870 (100W - 24V)
0/1-10V + Triac Dimmable
AC170-250V - 1.2A/110VAC



HLD-4871 (150W - 24V)
0/1-10V + Triac Dimmable
AC170-250V / 1.2A/110VAC

LED CONSTANT CURRENT DIMMEABLE DRIVERS (0-10V) ANALOG



HLD-4891 (8W)
(0/1-10V Dimmable)
DC200mA / 25-42V



HLD-4892 (8W)
(0/1-10V Dimmable)
DC350mA / 10-30V



HLD-4893 (12W)
(0/1-10V Dimmable)
DC300mA / 25-42V



HLD-4894 (12W)
(0/1-10V Dimmable)
DC350mA / 25-42V



HLD-4896 (18W)
(0/1-10V Dimmable)
DC350mA / 43-75V



HLD-4898 (30W)
(0/1-10V Dimmable)
DC700mA / 25-42V

LED CONSTANT VOLTAGE WATERPROOF DRIVER - (IP65) 24V



HLD-4875
60W



HLD-4877
150W

LED CONSTANT VOLTAGE DRIVER (IP20) - 12V



HLD-4900
12V - 1Amp
Size : 70x40x25mm



HLD-4901
12V - 2Amp
Size : 100x50x35mm



HLD-4902
12V - 2Amp (Heavy)
Size : 155x40x35mm



HLD-4903
12V - 3Amp
Size : 165x45x35mm




HLD-4905
12V - 5Amp
Size : 195x50x40mm

LED CONSTANT VOLTAGE DRIVER (IP20) - 12V




HLD-4906
12V - 6.5Amp
Size : 195x55x40mm



HLD-4908
12V - 8Amp
Size : 215x55x50mm



HLD-4909
12V - 10Amp
Size : 140x80x45mm



HLD-4910
12V - 12.5Amp
Size : 170x90x50mm

LED CONSTANT VOLTAGE DRIVER (IP20) - 24V



HLD-4911
24V - 2Amp
Size : 165x45x35mm



HLD-4912
24V - 2.5Amp
Size : 195x55x40mm



HLD-4913
24V - 3.5Amp
Size : 215x55x50mm



HLD-4914
24V - 5.5Amp
Size : 270x75x55mm



HLD-4916
24V - 6.5Amp
Size : 200x100x40mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5002 (12W)
Size : 180x180xH230mm



HLO-5003 (20W)
Size : 220x220xH245mm



HLO-5004 (12W)
Size : 150x150xH160mm



HLO-5005 (40W)
Size : Ø310xH480mm



HLO-5006 (30W)
Size : Ø400xH427mm
2500mm Pole / 3000mm Pole
PRICE AS ON REQUEST




HLO-5009 (13W)
Size : Ø175xH204mm



HLO-5010 (20W)
Size : Ø300xH317mm



HLO-5011 (12W)
Size : Ø175xH1000mm



HLO-5012 (12W)
Size : Ø175x288xH1000mm



HLO-5013 (12W)
Size : 178x69xH300mm



HLO-5014 (12W)
Size : 178x69xH650mm



HLO-5015 (12W)
Size : 178x69xH900mm



HLO-5016 (18W)
Size : 230x120xH2000mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5017 (30W)
Size : 370x370xH119mm



HLO-5018 (10W)
Size : 370x370xH119mm



HLO-5020 (24W)
Size : Ø276xH430mm



HLO-5021 (24W)
Size : Ø276xH380mm



HLO-5022 (24W)
Size : Ø276xH2500mm



HLO-5031 (30W)
Size : Ø230xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5032 (2x30W)
Size : Ø230xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5034 (45W)
Size : Ø400xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5035 (2x45W)
Size : Ø400xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5037 (40W)
Size : Ø400xH350mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5038 (60W)
Size : Ø600xH350mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5040 (30W)
Size : Ø230xH450mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5041 (40W)
Size : Ø400xH530mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5043 (30W)
Size : Ø300xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request



HLO-5044 (45W)
Size : Ø400xH150mm
Pole Size Available : 2.5Mtr / 3Mtr
4Mtr / 5Mtr / 6Mtr As on Request

Elite Series

HYBEC

lighting the future


LED BOLLARD & WALL LIGHT (IP54 & IP65)




HLO-5046 (24W/36W/50W/60W)
Size : 75x75mm & 100x100mm
 Pole Size Available : 2.5Mtr / 3Mtr
 4Mtr / 5Mtr / 6Mtr As on Request




HLO-5047 (30W/45W)
Size : Ø75mm & Ø100mm
 Pole Size Available : 2.5Mtr / 3Mtr
 4Mtr / 5Mtr / 6Mtr As on Request




TYPES OF POLE
Size : Ø75xH2500mm




TYPES OF POLE
Size : Ø75xH3000mm



TYPES OF POLE
Size : Ø75xH3650mm



TYPES OF POLE
Size : Ø75xH3650mm



TYPES OF POLE
Size : Ø75xH5000mm



HLO-5055 (18W)
Size : 240x240x2200mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5054 (18W)
Size : 240x240xH260mm



HLO-5056 (7W)
Size : 120x70xH250mm



HLO-5057 (7W)
Size : 120x70xH650mm



HLO-5058 (10W)
Size : 130x154xH168mm



HLO-5059 (10W)
Size : 130x154xH168mm



HLO-5060 (10W)
Size : 130x130xH750mm



HLO-5062 (7W)
Size : Ø90xH200mm



HLO-5063 (7W)
Size : Ø90xH650mm



HLO-5066 (7W)
Size : 108x108xH200mm



HLO-5067 (7W)
Size : 108x108xH650mm



HLO-5072 (4x3W)
Size : 110x148xH250mm



HLO-5075 (3x3W)
Size : Ø108x164xH315mm



HLO-5076 (3x3W)
Size : Ø108x120xH650mm



HLO-5078 (10W)
Size : Ø210x70mm



HLO-5079 (10W)
Size : Ø210xH220mm



HLO-5080 (10W)
Size : Ø210xH750mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5083 (18W)
Size : Ø300xH2200mm
Wattage will be changed 24W to 18W



HLO-5082 (6W)
Size : Ø200xH225mm



HLO-5086 (5W)
Size : 145x45xH120mm



HLO-5087 (5W)
Size : 160x54xH300mm



HLO-5088 (5W)
Size : 160x54xH650mm



HLO-5092 (8W)
Size : Ø65xH500mm



HLO-5094 (16W)
Size : Ø65xH1800mm



HLO-5102 - (6W)
Size : 198xH500mm



HLO-5105 - (6W)
Size : 268x163mm




HLO-5113 - (7W)
Size : Ø90x140mm



HLO-5109 (9W)
Size : Ø196x280xH355mm



HLO-5110 (9W)
Size : Ø196x295xH1000mm



HLO-5111 (18W)
Size : Ø196x575xH2300mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



250mm

HLO-5114 (7W)
Size : Ø90xH250mm



650mm

HLO-5115 (7W)
Size : Ø90xH650mm



HLO-5117 (3x5W)
Size : Ø120xH250mm



650mm

HLO-5119 (3x5W)
Size : Ø120xH650mm



Wall Light

HLO-5122 (6x1W)
Size : Ø145x110mm



250mm

HLO-5123 (6x1W)
Size : Ø145xH250mm



650mm

HLO-5124 (6x1W)
Size : Ø145xH650mm



SPECIAL OFFER Wall Light

HLO-5126 - (8W)
Size : 200x176xH125mm



900mm

HLO-5128 - (8W)
Size : 240xH900mm



900mm

HLO-5129 - (18W)
Size : Ø200xH900mm



2000mm

HLO-5130 - (36W)
Size : Ø320xH2000mm



Wall Light

HLO-5131 (8W)
Size : 140x70xH200mm



Wall Light

HLO-5136 (6W)
Size : 151x188xH68mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)

Wall Light



HLO-5139 (6W)
Size : 125x170xH200mm



200mm

HLO-5140 (6W)
Size : 125xH200mm



800mm

HLO-5141 (6W)
Size : 125xH800mm

Wall Light



HLO-5142 (9W)
Size : Ø110x176xH240mm



500mm

HLO-5143 (9W)
Size : Ø110xH500mm

SPECIAL
OFFER

Wall Light



HLO-5145 (9W)
Size : 200x80xH112mm



300mm

HLO-5146 (9W)
Size : 200x80xH300mm



500mm

HLO-5147 (9W)
Size : 200x80xH500mm



750mm

HLO-5152 (9W)
Size : Ø80x120xH750mm



2000mm

HLO-5154 (27W)
Size : Ø80x120xH2000mm



2500mm

HLO-5155 (3x12W)
Size : Ø269xH2500mm

Wall Light



HLO-5157 (10W)
Size : Ø165x198xH225mm



2000mm

HLO-5156 (12W)
Size : Ø120x152xH2000mm



346mm

HLO-5158 (10W)
Size : Ø165xH346mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5159 (10W)
Size : Ø165x218xH985mm



HLO-5161 (13W)
Size : 166x166xH300mm



HLO-5162 (13W)
Size : 166x166xH500mm



HLO-5163 (13W)
Size : 166x166xH800mm



HLO-5165 (18W)
Size : Ø145xH500mm



HLO-5166 (18W)
Size : Ø145xH900mm



HLO-5167 (36W)
Size : Ø145xH2000mm



HLO-5168 (18W)
Size : Ø150xH900mm



HLO-5171 (6W)
Size : 101x101x131xH135mm



HLO-5172 (6W)
Size : 101x101xH250mm



HLO-5173 (6W)
Size : 101x101xH750mm



HLO-5180 (10W)
Size : Ø188x206xH209mm



HLO-5181 (10W)
Size : Ø188xH350mm



HLO-5182 (10W)
Size : Ø188xH650mm



HLO-5183 (10W)
Size : Ø188xH900mm

LED SURFACE CEILING LIGHT (IP54 & IP65)



HLO-5301 (4W)
Size : Ø58x14mm



HLO-5302 (5W)
Size : 140x140x65mm



HLO-5304 (6W)
Size : Ø150x55mm



HLO-5305 (18W)
Size : Ø280x63mm



HLO-5306 (10W)
Size : Ø85x20mm



HLO-5307 (9W)
Size : 90x90x102mm



HLO-5308 (6W)
Size : 90x90x95mm



HLO-5309 (6W)
Size : Ø90x95mm



HLO-5310 (3W)
Size : Ø140x64mm



HLO-5312 (15W)
Size : Ø130x205mm



HLO-5314 (9W)
Size : Ø172x122mm



HLO-5315 (11W)
Size : 200x200x55mm



HLO-5316 (4x7W)
Size : 260x260x74mm



HLO-5318 (12W)
Size : Ø90x110mm



HLO-5321 (24W)
Size : Ø110x140mm



HLO-5322 (33W)
Size : Ø135x170mm

LED SURFACE CEILING LIGHT (IP54 & IP65)



HLO-5325 (100W)
Size : Ø220x235mm




HLO-5328 (8W)
Size : Ø65x45mm



HLO-5329 (15W)
Size : Ø80x45mm



HLO-5331 (6W)
Size : Ø108x105mm



HLO-5332 (6W)
Size : 110x110x108mm

LED SURFACE WALL LIGHT (IP54 & IP65)




HLO-5351 (3W)
Size : 100x100x51mm



HLO-5352 (2x3W)
Size : 100x100x51mm




HLO-5353 (2x1W)
Size : 74x74x52mm



HLO-5354 (4x1W)
Size : 100x100x52mm



HLO-5355 (4x1W)
Size : Ø100x52mm



HLO-5356 (4x3W)
Size : 190x190x96mm



HLO-5357 (4x3W)
Size : 200x200x78mm



HLO-5358 (3W)
Size : 65x40x88mm


Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5359 (2x3W)
Size : 43x90x125mm



HLO-5360 (9W)
Size : 130x130x30mm



HLO-5361 (3W)
Size : 81x63x75mm



HLO-5362 (2x3W)
Size : 81x63x142mm



HLO-5364 (3x3W)
Size : Ø100x88mm



HLO-5365 (3W)
Size : 85x60x36mm



HLO-5366 (2x1W)
Size : 85x60x42mm



HLO-5367 (4x2W)
Size : Ø100x94mm



HLO-5368 (2x3W)
Size : Ø100x94mm



HLO-5369 (3W)
Size : Ø70x85x110mm



HLO-5370 (2x3W)
Size : Ø70x110x110mm



HLO-5471 (2x3W)
Size : Ø85x71mm



HLO-5372 (2x3W)
Size : Ø90x50mm



HLO-5373 (4x3W)
Size : Ø90x50mm



HLO-5376 (6W)
Size : Ø90x95mm



HLO-5377 (6W)
Size : Ø90x135x100mm

CEILING WALL LIGHT

Elite Series

HYBEC
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5378 (2x6W)
Size : Ø90x135x135mm



HLO-5381 (6W)
Size : 90x90x94mm



HLO-5382 (6W)
Size : 90x120x92mm



HLO-5383 (2x6W)
Size : 90x120x130mm



HLO-5386 (12W COB)
Size : Ø90x137mm



HLO-5387 (12W COB)
Size : Ø90x133x182mm



HLO-5388 (2x12W COB)
Size : Ø90x133x220mm



HLO-5389 (2x5W)
Size : 68x97x80mm



HLO-5390 (2x12W)
Size : 106x141x135mm



HLO-5391 (7W)
Size : 82x62x95mm



HLO-5392 (2x7W)
Size : 82x62x145mm



HLO-5397 (3W)
Size : Ø140x63x195mm



HLO-5398 (2x3W)
Size : Ø140x71x195mm



HLO-5401 (12W)
Size : 100x100x140mm



HLO-5402 (12W)
Size : 100x132x138mm



HLO-5403 (2x12W)
Size : 100x132x220mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5410 (8W)
Size : Ø120x175mm



HLO-5411 (3W)
Size : 148x60x100mm



HLO-5412 (3W)
Size : 155x56x90mm



HLO-5413 (3x3W)
Size : Ø185x60mm



HLO-5420 (6W)
Size : Ø69x100x151mm



HLO-5421 (2x6W)
Size : Ø69x100x222mm



HLO-5424 (2x6W)
Size : Ø90x90x105mm



HLO-5428 (2x6W)
Size : 90x90x105mm



CEILING WALL LIGHT

HLO-5430 (6W)
Size : Ø90x125mm



HLO-5431 (6W)
Size : Ø90x120x125mm



HLO-5432 (2x6W)
Size : Ø90x120x185mm



CEILING WALL LIGHT

HLO-5435 (6W)
Size : 90x90x127mm



HLO-5436 (6W)
Size : 92x124x127mm



HLO-5437 (2x6W)
Size : 90x124x185mm



HLO-5450 (6W)
Size : 100x100x100mm



Removable
Reflector Inside,

HLO-5451 (2x3W)
Size : 90x90x110mm


Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)




HLO-5452 (2x6W)
Size : 150x65x90mm



HLO-5455 (3W)
Size : 122x82x59mm



HLO-5457 (2x5W)
Size : 105x100x119mm



HLO-5458 (7W)
Size : 100x100x100mm



HLO-5459 (2x3W)
Size : 173x109x63mm



HLO-5460 (2x3W)
Size : 150x50x78mm



HLO-5461 (2x3W)
Size : 150x50x78mm



HLO-5462 (3W)
Size : 78x50x80mm



HLO-5463 (12W)
Size : 207x114x79mm



HLO-5467 (3W)
Size : 66x102x131mm



HLO-5470 (6W)
Size : 160x200x50mm



HLO-5471 (5W)
Size : 220x55x130mm



HLO-5472 (6W)
Size : 190x150x110mm



HLO-5473 (18W)
Size : 250x60x60mm



HLO-5474 (9W)
Size : 114x259x84mm



HLO-5475 (24W)
Size : 500x50x49mm
Wattage will be changed 36W to 24W

Elite Series

HYBEC
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5476 (15W)
Size : 280x130x215mm



HLO-5480 (9W)
Size : 160x80x210mm




HLO-5481 (16W)
Size : 155x155x162mm




HLO-5482 (36W)
Size : 250x55x190mm




HLO-5485 (27W)
Size : 147x152x145mm



HLO-5498 (10W)
Size : Ø240x48mm



HLO-5499 (6W)
Size : Ø135x40mm




HLO-5500 (12W)
Size : Ø180x40mm



HLO-5501 (2W)
Size : 68x80x93mm



HLO-5502 (5W)
Size : 116x117x139mm



HLO-5503 (6W)
Size : 260x106x115mm



HLO-5504 (6W)
Size : 200x160x45mm



HLO-5506 (6W)
Size : 114x89x105mm



HLO-5507 (18W)
Size : 110x250x103mm



HLO-5508 (6W)
Size : 160x100x86mm



HLO-5510 (10W)
Size : 240x120x45mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5512 (10W)
Size : 161x75x186mm



HLO-5513 (6W)
Size : 300x70x53mm




HLO-5514 (12W)
Size : 236x114x68mm



HLO-5515 (13W)
Size : 285x110x102mm



HLO-5516 (13W)
Size : 270x90x58mm



HLO-5517 (13W)
Size : 169x55x219mm



HLO-5518 (10W)
Size : 140x140x350mm


LED SURFACE FOOT / STEP LIGHT (IP54 & IP65)



HLO-5551 (3W)
Size : 92x42x72mm



HLO-5552 (5W)
Size : 150x42x72mm



HLO-5553 (4W)
Size : 220x60x100mm



HLO-5554 (9W)
Size : 200x36x90mm



HLO-5555 (9W)
Size : 160x160x36mm



HLO-5556 (3W)
Size : 95x68x32mm



HLO-5557 (2x1W)
Size : 95x100x32mm



HLO-5558 (3W)
Size : 160x101x70mm

Elite Series

HYBEC
lighting the future

LED SURFACE FOOT / STEP LIGHT (IP54 & IP65)




HLO-5559 (6W)
Size : Ø130x68mm



HLO-5562 (3W)
Size : 166x173x60mm




HLO-5563 (9W)
Size : Ø235x48mm



HLO-5564 (3W)
Size : Ø160x31mm



HLO-5565 (3W)
Size : Ø120x52mm




HLO-5568 (3W)
Size : 112x112x35mm

LED GARDEN SPIKE LIGHT (IP65)



HLO-5903 (3W)
Size : Ø95x50x425mm




HLO-5904 (3W)
Size : 50x65x253mm



HLO-5905 (10W)
Size : Ø85x105mm



HLO-5906 (6W COB)
Size : Ø78xH1500mm



HLO-5907 (6W)
Size : Ø100x105x350mm



HLO-5908 (6W COB)
Size : Ø73x106x380mm



Spike Height : 210mm

HLO-5913 (8W)
Size : 117x80x70mm



Spike Height : 210mm

HLO-5914 (7W COB)
Size : 117x80x70mm


Elite Series

HYBEC®
lighting the future


LED GARDEN SPIKE LIGHT (IP65)



HLO-5917 (12W)
Size : 207x210x384mm



HLO-5921 (12W)
Size : Ø90x173x139mm



HLO-5922 (12W)
Size : Ø88x153x315mm



HLO-5923 (12W)
Size : 200x56x152mm



HLO-5927 (30W)
Size : 208x114x218mm

LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)



HLO-6018 (3W)
Size : 75x107x65mm




HLO-6019 (3W)
Size : 107x75x65mm



HLO-6021 (3W)
Size : 90x90x40mm



HLO-6022 (6W)
Size : 192x90x48mm



HLO-6024 (5W)
Size : 92x90x73mm



HLO-6025 (5W)
Size : 92x92x73mm



HLO-6026 (5W)
Size : 170x70x58mm




HLO-6028 (6W)
Size : 194x239x73mm

Elite Series


HYBEC®

lighting the future


LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)



HLO-6029 (3W)
Size : Ø50x67mm



HLO-6030 (3W)
Size : 60x60x50mm



HLO-6031 (3W)
Size : Ø80x60x67mm



HLO-6032 (3W)
Size : 80x80x67mm



HLO-6038 (12W)
Size : 250x98x90mm



HLO-6039 (12W)
Size : 250x98x90mm



HLO-6051 (3W)
Size : 130x85x78mm



HLO-6052 (3W)
Size : 171x66x73mm



HLO-6053 (3W)
Size : 171x66x73mm



HLO-6056 (2W)
Size : 114x114x65mm



HLO-6057 (4W)
Size : 114x170x65mm



HLO-6058 (6W)
Size : 114x226x65mm



HLO-6071 (3W)
Size : Ø115x106mm



HLO-6072 (3W)
Size : 110x110x93mm



HLO-6073 (3W)
Size : 110x110x93mm

LED UNDERWATER CONCEALED LIGHT (IP68)



HLO-6201 (3W)
Size : Ø68.5x73mm



HLO-6202 (3W) - RGB
Size : Ø68.5x73mm



HLO-6210 (8W)
Size : Ø135x120mm



HLO-6211 (8W) - RGB
Size : Ø135x120mm



HLO-6218 (16W)
Size : Ø180x120mm



HLO-6219 (16W) - RGB
Size : Ø180x120mm




FOUNTAIN LIGHT

HLO-6314 (21W)
Size : Ø149x61.5mm




HLO-6509 (9W)
Size : Ø297x67mm

LED UNDERWATER SURFACE LIGHT (IP68)



HLO-6501 (3W)
Size : Ø68.5x73x132mm



HLO-6502 (3W) - RGB
Size : Ø68.5x73x132mm



HLO-6505 (6W)
Size : Ø95x85x135mm



HLO-6506 (14W)
Size : Ø127x99x167mm



HLO-6508 (12W)
Size : Ø115x32mm

LED RECESSED CANOPY LIGHT (IP65)



HLO-6751 (1W)
Size : Ø25x82mm



HLO-6752 (1W)
Size : Ø27x76mm



HLO-6753 (3W)
Size : Ø37x35mm
Cut-Out : Ø32mm



HLO-6755 (7W)
Size : Ø68xH51mm
Cut-Out : Ø60mm



HLO-6756 (12W)
Size : Ø83xH58mm
Cut-Out : Ø75mm



HLO-6773 (2W)
Size : Ø28xH30mm
Cut-Out : Ø20mm



HLO-6776 (4W)
Size : Ø38xH45mm
Cut-Out : Ø29mm



HLO-6779 (9W)
Size : Ø62xH68mm
Cut-Out : Ø52mm



HLO-6784 (18W)
Size : Ø73xH88mm
Cut-Out : Ø65mm

LED LANDSCAPE PATH LIGHT (IP65)



HLO-6801 (1W)
Size : Ø43xH53mm



HLO-6802 (1W)
Size : Ø38xH32mm
Cut-Out : Ø28mm



HLO-6803 (1W)
Size : Ø60xH29mm
Cut-Out : Ø40mm



HLO-6805 (3W)
Size : Ø56xH65mm
Cut-Out : Ø40mm

LED LANDSCAPE PATH LIGHT (IP65)



HLO-6806 (3W)
Size : Ø80xH40mm
Cut-Out : Ø69mm



HLO-6807 (3W)
Size : Ø105xH88mm
Cut-Out : Ø72mm



HLO-6808 (6W)
Size : Ø150xH80mm
Cut-Out : Ø94mm



HLO-6809 (9W)
Size : Ø108xH83mm
Cut-Out : Ø72mm



HLO-6815 (7W)
Size : Ø90xH65mm
Cut-Out : Ø64mm



HLO-6817 (12W)
Size : Ø90xH95mm
Cut-Out : Ø67mm



HLO-6818 (20W)
Size : Ø135xH95mm
Cut-Out : Ø109mm



HLO-6841 (1W)
Size : Ø62x95mm



HLO-6842 (1W)
Size : Ø62x95mm



HLO-6844 (1W)
Size : Ø62x95mm



HLO-6871 (15W)
Size : Ø153x170mm

Elite Series



LED LINEAR WALL WASHER (IP65)



HLO-7011 (6x2W)
Size : 300x37.5mm



HLO-7012 (10x2W)
Size : 500x37.5mm



HLO-7013 (20x2W)
Size : 1000x37.5mm


LED LANDSCAPE PATH LIGHT (IP65)



HLO-7016 (12x1W)
Size : 500x32x80mm



HLO-7017 (24x1W)
Size : 1000x32x80mm



HLO-7020 (9.6W/Mtr)
Size : 1000x15x7mm
LED RIGID STRIP LIGHT

LED OUTDOOR BULKHEAD LIGHT - PC BODY IP65



HLO-7028 (12W)
Size : L175xW100xH70mm



HLO-7030 (15W)
Size : L210xW82xH65mm



HLO-7034 (12W)
Size : Ø170xH60mm



HLO-7036 (18W)
Size : Ø200xH60mm



HLO-7038 (12W)
Size : Ø174xH50mm



HLO-7039 (12W)
Size : Ø210xH65mm

Elite Series

HYBEC®

lighting the future

LED FLOOD LIGHT - AVAILABLE WITH LENSE IN (10°, 30°, 60°, 90°, 120°)



HLO-7052 (300W)
Size : 670x320x210mm



HLO-7056 (400W)
Size : 670x320x210mm

LED OUTDOOR LINEAR LIGHT - IP54



HLO-7080 (40W)
Size : H52xW60mm

LED STREET LIGHT - WITH LENSE IP68



HLO-7112 (18W)
Size : H65xW80xL280mm



HLO-7113 (30W)
Size : H65xW80xL330mm



HLO-7114 (50W)
Size : H80xW122xL400mm



HLO-7115 (60W)
Size : 330x330x90mm

LED STREET LIGHT - AVAILABLE WITH LENSE (BRANDED DRIVER IP65)



HLO-7116 (50W)
Size : H80xW185xL370mm



HLO-7117 (72W)
Size : H80xW185xL370mm



HLO-7120 (30W)
Size : H65xW75xL380mm

GATE, WALL AND BOLLARD LIGHT (IP54)



HLO-8001 - E27
Size : 220x220x270mm



HLO-8002 - E27
Size : 290x290x390mm



HLO-8003 - E27
Size : 225x225x328mm



HLO-8005 - E27
Size : 250x250x265mm



HLO-8006 - E27
Size : Ø268x298mm



HLO-8008 - E27
Size : 240x240x260mm



HLO-8009 - E27
Size : 150x150x160mm



A60 LED LAMP
HLO-8011 - E27
Size : 140x140x350mm



A60 LED LAMP
HLO-8012 - E27
Size : 140x140x500mm



HLO-8014 - E27
Size : Ø360x574mm



HLO-8016 - E27
Size : 290x290x390mm



HLO-8017 - E27
Size : 226x226x304mm



HLO-8018 - E27
Size : 204x370mm



HLO-8019 - E27
Size : 246x246x491mm



HLO-8056 - E27
Size : 80x145x380mm



HLO-8085 - E27
Size : Ø220x200mm

Elite Series

HYBEC®
lighting the future

GATE, WALL AND BOLLARD LIGHT (IP54)



HLO-8086 - E27
Size : Ø220x900mm



HLO-8089 - E27
Size : 220x220x200mm



HLO-8090 - E27
Size : 220x220x650mm



HLO-8095 - CFL
Size : Ø120x302x178mm



HLO-8099 - E27
Size : 230x448mm



HLO-8156 - E27
Size : 108x108x200mm



HLO-8157 - E27
Size : 110x110x450mm



HLO-8158 - E27
Size : 120x250mm



HLO-8159 - E27
Size : 120x300mm



HLO-8160 - E27
Size : 120x500mm



HLO-8162 - E27
Size : 108x108x200mm



HLO-8164 - E27
Size : 108x108x900mm



HLO-8166 - E27
Size : 108x245x148mm



HLO-8170 - E27
Size : Ø108x250mm



HLO-8175 - E27
Size : Ø108x650mm



HLO-8171 - E27
Size : 175x200mm

Elite Series

HYBEC®
lighting the future

GATE, WALL AND BOLLARD LIGHT (IP54)



HLO-8172 - E27
Size : 175x300mm



HLO-8173 - E27
Size : 175x650mm

ALUMINIUM DIE-CAST BULK-HEADS (IP44)



HLO-8405 - B22
Size : 255x128x85mm



HLO-8406 - B22
Size : 265x130x100mm



HLO-8407 - E27
Size : 265x128x118mm



HLO-8409 - E27
Size : 218x134x62mm



HLO-8455 - T5
Size : Ø270x107mm



HLO-8457 - E27
Size : 160x160x167mm



HLO-8460 - E27
Size : 220x224x150mm

Elite Series

HYBEC®
lighting the future

UP-DOWN LIGHT (IP54)



HLO-8501 - GU10
Size : Ø65x150x115mm



HLO-8502 - GU10
Size : Ø65x260x115mm



HLO-8591 - GU10
Size : Ø65x90mm



HLO-8592 - GU10
Size : 65x65x90mm

GARDEN SPIKE LIGHT (IP65)



HLO-8651 - GU10
Size : Ø65x140x105mm



HLO-8652 - GU10
Size : Ø65x380x105mm



HLO-8661 - GU10
Size : Ø97x320mm



HLO-8662 - GU10
Size : Ø96x344x175mm

